Five Year Review Report

EPA Region 5 Records Ctr.

First Five Year Review Report
For
Penta Wood Products Superfund Site
Town of Daniels
Burnett County, Wisconsin

March 2005

PREPARED BY:

Wisconsin Department of Natural Resources Northern Region Rhinelander, Wisconsin

John Robinson, Supervisor Remediation and Redevelopment Program Wisconsin Department of Natural Resources

Richard C. Karl, Director SF Division, Region 5

Approved by

USEPA

Date:

2/10/05

3-4-05

Table of Contents

Lis	t of Acronyms	4
	ecutive Summary	
	e-Year Review Summary Form	
1.	Introduction	8
II.	Chronology of Site Events	g
111	Background	10
••••	Physical Characteristics	
	Land and Resource Use	
	History of Contamination	
	Initial Response	
	Basis for Taking Action	
	Dasis for Taking Action	1 1
IV	Remedial Actions	12
ı v .	Remediation Objectives	
	Remedy Selection	
	Remedy Implementation	
	Nemedy implementation	17
٧.	Progress Since the Last Five-Year Review	15
VI.	Five-Year Review Process	15
	Administrative Components	15
	Community Involvement	16
	Document Review	
	Data Review	
	Site Inspection	
	Requests to Solicit Comments	
VII.	Technical Assessment	18
	Question A: Is the remedy functioning as intended by the	
	decision documents?	18
	Question B: Are the exposure assumptions, toxicity data,	
	cleanup levels, and remedial action objectives (RAOs) used at the	
	time of the remedy still valid?	18
	Question C: Has any other information come to light that could	
	call into question the protectiveness of the remedy?	19
	Technical Assessment Summary	
VIII	. Issues	19
- •••		
ΙY	Pacammandations and Follow-up Actions	20

Χ.	Protectiveness Statement(s)	21
Xi.	Next Review	21
Tab	oles	
	Table 1 - Chronology of Site Events	g
	Table 2 Recommendations and Follow-Up Actions	20
	Attachments	
	Attachment 1 - Site Location Map	
	Attachment 2 – Pre Remedial Site Map	
	Attachment 3 – Post Remedial Construction Site Map	
	Attachment 4 - Groundwater & Effluent Monitoring Results	
	Attachment 5 - Site Inspection Checklist	
	Attachment 6 - Public Outreach Letters and Documents	

List of Acronyms

ACZA Ammonia, Copper II Oxide, Zink, and Arsenate

ARAR Applicable or Relevant and Appropriate Requirements

CAMU Corrective Action Management Unit

CERCLA Comprehensive Environmental Response, Compensation, and Liability

Act

COC Contaminant of Concern

COW Coalescing Oil/Water Separator
CFR Code of Federal Regulations

DAF Dissolved Air Flotation

EPA Environmental Protection Agency

ES NR140 Wisconsin Administrative Code Enforcement Standard

GAC Granular Activated Carbon
LNAPL Light non-aqueous phase liquid
LTMP Long Term Monitoring Plan
LTRA Long Term Remedial Action
MNA Monitored Natural Attenuation

NPL National Priority List

PAH Polycyclic Aromatic Hydrocarbons

PAL NR140 Wisconsin Administrative Code Preventive Action Limit

PCP Pentachlorophenol

QAPP Quality Assurance Project Plan

RA Remedial Action

RAO Remedial Action Objectives

RI/FS Remedial Investigation/Feasibility Study

RPM Regional Project Manager

ROD Record of Decision

SARA Superfund Amendments and Reauthorization Act

TCLP Toxicity Characteristic Leaching Procedure

VOC Volatile Organic Compound

WDNR Wisconsin Department of Natural Resources

WDHFS Wisconsin Department of Health and Family Services

Executive Summary

The selected remedy for the Penta Wood Products Superfund Site in the Town of Daniels Burnett County, Wisconsin includes:

- Building demolition.
- Segregation, select solidification, and placement of all arsenic contaminated soils in an onsite Corrective Action Management Unit (CAMU).
- Consolidation of Pentachlorophenol (PCP)/fuel oil soils and wood chips in the CAMU under a soil cover.
- Bioventing PCP/fuel oil contaminated material.
- Biopad removal and disposal onsite in the CAMU.
- Erosion control measures
- Revegetation
- Light non-aqueous phase liquid (LNAPL) removal.
- Containment, collection, treatment and discharge of grossly contaminated groundwater (exceeding 1,000ug/L PCP).
- Monitored Natural Attenuation (MNA) of groundwater contamination.
- Institutional controls
- Environmental monitoring/maintenance

The components of the remedy have been constructed. The site achieved construction completion in September 2000 with the construction of the original plant. An addition to the plant was completed and the plant began operation again in May 2004. After three months of operation the plant was declared operational and functional beginning the ten-year LTRA (Long Term Remedial Action). The trigger for this five-year review was the start of construction in December 1999.

The assessment of this five-year review found that the remedy was constructed according to the requirements of the Record of Decision (ROD). The remedy is functioning as designed. The immediate threats have been addressed. The remedy is expected to be protective when groundwater cleanup goals are achieved through LNAPL removal, groundwater extraction, bioventing and MNA. Cleanup goals are expected to be attained within 30 years. In addition, erosion controls must be maintained, and institutional controls implemented to assure long term protectiveness.

An annual review/report that summarizes all monitoring at the site and evaluates the effectiveness of the treatment system in meeting cleanup goals should be instituted. In addition the annual review/report should include a summary of site activities including waste generation and disposal, erosion control, and site maintenance.

Five Year Review Summary Form

		SITE IDEN	ITIFICATION									
Site name (from WasteLANg): Penta Wood Products Superfund Site												
	EPA ID (from WasteLAN): WID006176945											
Region: 5	State: WI	County: Bu	rnett									
		SITE	STATUS									
NPL status:	Final Deleted	Other (spe	cify)									
Remediation s Complete	status (choose	all that apply): Under Construction Operating									
Multiple OUs?	* YES □ <u>NO</u>	Construction	on completion date: 9-30-2000									
Has site been	put into reuse	? YES 🗆 N	10									
		REVIEV	V STATUS									
Lead agency:	□ <u>EPA</u> State	Tribe Othe	r Federal Agency									
Author name:	William Schultz	7										
Author title: E	ngineer	i	Author affiliation: WDNR, Northern Region									
Review period	:** <u>12 / 23 / </u>	1999 to <u>12</u>	/ <u>23</u> / <u>2004</u>									
Date(s) of site	inspection: 1	<u>1 / 15 / 200</u>	4									
Type of review			Pre-SARA NPL-Removal only emedial Action Site NPL State/Tribe-lead scretion)									
Review number	er: 🗆 <u>1</u> (first) 2	(second) 3	(third) Other (specify)									
Triggering action: Actual RA On-site Construction at OU # Construction Completion Other (specify) Actual RA Start Previous Five-Year Review Report												
Triggering action date (from WasteLAN): 03/06/2000												
Due date (five			on date): <u>3/06/2005</u>									

^{* [&}quot;OU" refers to operable unit.]

** [Review period should correspond to the actual start and end dates of the Five-Year Review in WasteLAN.]

Five-Year Review Summary Form, cont'd.

	c	•	1	ı	Ω	c	•
ı.	Э	3	Ł	8	G	s	•

None

Recommendations and Follow-up Actions:

Continue LNAPL removal. Continue pumping and treating grossly contaminated groundwater. Once LNAPL has been collected to the extent practicable, commence bioventing to enhance natural biodegradation. Promote revegetation and maintain erosion control measures on site. Continue ground water monitoring.

An annual review/report that summarizes all monitoring at the site and evaluates the effectiveness of the treatment system in meeting cleanup goals should be instituted. In addition the annual review/report should include a summary of site activities including waste generation and disposal, erosion control, and site maintenance.

Draft and record the appropriate property deed restrictions.

Protectiveness Statement(s):

The remedy is expected to be protective of human health and the environment when groundwater standards are achieved, the cover on the CAMU is maintained, and the appropriate property deed restrictions are implemented. In the interim, exposure pathways that could result in unacceptable risks are being controlled.

Long-Term Protectiveness:

Long-term protectiveness of the remedial action will be verified by obtaining additional groundwater samples to fully evaluate the effectiveness of LNAPL removal, groundwater pumping and bioventing. Significant amounts of LNAPL are being collected. Additional sampling and analysis will be conducted on a regular basis. Exposure pathways that could result in unacceptable risks are being controlled. The remedy is expected to be protective of human health and the environment when groundwater standards are achieved, the cover on the CAMU is maintained, and the appropriate property deed restrictions are implemented. Current groundwater monitoring data indicate that the remedy is functioning as required to achieve the Applicable or Relevant and Appropriate Requirements (ARARs) at the site.

Other Comments:

None

Five-Year Review Summary Form, continued

Penta Wood Products Site Burnett County, Wisconsin First Five-Year Review

I. Introduction

The purpose of the five-year review is to determine whether the remedy at a site is protective of human health and the environment. The methods, findings, and conclusions of reviews are documented in five-year review reports. In addition, five-year review reports identify issues found during the review and identify recommendations to address them.

The Wisconsin Department of Natural Resources (WDNR) is preparing this five-year review pursuant to CERCLA §121 and the National Contingency Plan (NCP). CERCLA §121 states:

If the President selects a remedial action that results in any hazardous substances, pollutants, or contaminants remaining at the site, the President shall review such remedial action no less often than each five years after the initiation of such remedial action to assure that human health and the environment are being protected by the remedial action being implemented. In addition, if upon such review it is the judgment of the President that action is appropriate at such site in accordance with section [104] or [106], the President shall take or require such action. The President shall report to the Congress a list of facilities for which such review is required, the results of all such reviews, and any actions taken as a result of such reviews.

The U.S. EPA interpreted this requirement further in the National Contingency Plan (NCP); 40 CFR §300.430(f)(4)(ii) states:

If a remedial action is selected that results in hazardous substances, pollutants, or contaminants remaining at the site above levels that allow for unlimited use and unrestricted exposure, the lead agency shall review such action no less often than every five years after the initiation of the selected remedial action.

The U.S. EPA and the WDNR conducted the five-year review of the remedy implemented at the Penta Wood Products Site. This review was conducted from November 2004 through December 2004. This report documents the results of the review.

This is the first five-year review for the Penta Wood Products site. The trigger date for this review is the start of on-site construction on March 6, 2000. The five-year review is required due to the fact that hazardous substances, pollutants, or contaminants remain on site above levels that allow for unlimited use and unrestricted exposure.

II. Chronology of Site Events

Event	Date
Penta Wood Products operated as a wood	1953 – 1992
treating facility	
Wisconsin Department of Natural notes	1970s – 1991
several large spills, stained soils, fires, and	
poor operating practices	
Wisconsin Department of Natural	1987
Resources requests PWP to do an	
Environmental Site Investigation	
Wisconsin Department of Justice files a	1991
preliminary injunction against PWP	
PWP voluntarily closed	May 1992
Site placed in the Superfund Accelerated	1993
Cleanup Model (SACM) pilot program	
Site placed on NPL	June 17, 1996
USEPA conducts a removal action	April 1994 – May 1998
Ecological Risk Assessment Completed	June 30, 1998
USEPA conducts a RI/FS	March 1, 1994 – September 29, 1998
ROD signed	September 29, 1998
Remedial action start	December 23, 1999
On-site Construction Start date	March 6, 2000
LTRA start	August 2004
Five Year Review	December 2004

III Background

Physical Characteristics

The PWP site is an inactive wood treating facility located along Daniels 70 (former State Route 70) in Burnett County, Wisconsin. It is approximately 78 miles northeast of Minneapolis, Minnesota, and 60 miles south of Duluth, Minnesota. The Village of Siren, Wisconsin, is approximately 2 miles east of the site.

Currently the PWP property consists of approximately 82 acres that were actively used for cutting and treating raw wood timber products. The PWP site is situated on a plateau with a 110-foot drop in elevation from the southern boundary to the northern boundary. The site stratigraphy consists of three layers: an upper sand, a glacial till that is not continuous throughout the site, and a lower sand. The depth to groundwater is over 100 feet on the plateau. The regional groundwater flow direction is to the north. Since the closing of the production well, groundwater flow at the site has been radial, with a strong downward vertical gradient.

Land and Resource Use

The property is located in a rural agricultural and residential setting and is bordered to the east, west, and north by forested areas; some of these areas are classified by the Wisconsin Department of Natural Resources (WDNR) as wetlands. A wetland is located within 130 feet of the northern property boundary. A number of surface water bodies are present north and east of the site. Doctor Lake and an unnamed lake are located 2,000 feet east and northeast of the site, respectively. The Amsterdam Slough Public Hunting area covers 7,233 acres and is located 1 mile north of the site. Attachment 1 is an area site location map.

Four private residences are within 1000 feet of the site and have potable wells. Thirty-eight private wells were located within a 1-mile radius of the landfill in the May 1998 Feasibility Study (FS).

History of Contamination

PWP operated from 1953 to 1992. Raw timber was cut into posts and telephone poles and treated with either a 5 to 7 percent PCP solution in a No. 2 fuel oil carrier, or with a water born salt treatment called Chemonite consisting of ammonia, copper II oxide, zinc and arsenate (ACZA). PWP also conducted toll blending of pentachlorophenol and fuel oil on a contract basis for industrial users just prior to closing in 1992. During its 39 years of operation, PWP discharged wastewater from an oil/water separator down a gully into a lagoon on the northeast corner of the property. Process wastes were also discharged onto a wood chip pile in the northwestern portion of the property. Ash from a boiler was used to berm a cooling pond. Beginning in the 1970s, WDNR investigators noted several large spills, stained soils, fires and poor operating practices. Attachment 2 is a map of the Penta Wood Products Site when it was operating as a wood treating facility.

Initial Response

PWP began an environmental investigation in 1987. In 1988, the on-site production well was closed for potable use when it was found to contain 2,700 parts per billion (ppb) of PCP. The State of Wisconsin Department of Justice filed a preliminary injunction against PWP in 1991, citing WPDES violations and violations of other State statutes regarding storage of raw materials, and waste handling practices. The facility voluntarily closed in May 1992 with the promulgation of the Resource Conservation and Recovery Act (RCRA) drip track regulations.

The site was put into the Superfund Accelerated Cleanup Model (SACM) pilot program in 1993. The site was listed on the National Priorities List (NPL) on June 17, 1996. A removal action was conducted from 1994 to 1996. The ACZA treatment building and half of the oil/water separator building were demolished and remaining chemicals and sludges were disposed off-site. Grossly PCP-and metals-contaminated soils were excavated and disposed off-site, and metals-contaminated soils were excavated and mixed with cement on-site to form a 3-acre concrete biopad.

A Remedial Investigation/Feasibility Study (RI/FS) was conducted by USEPA in 1997 – 1998, culminating with the issuance of a Record of Decision (ROD) in September 1998.

Basis for Taking Action

As a result of spills and past waste handling practices at the site, subsurface soils to a depth of over 100 feet are contaminated with a PCP/oil mixture beneath the gully where wastewater was discharged from an oil/water separator to a lagoon. Areas near the dip tanks, oil/water separator, drying racks, boiler and ACZA treatment building exhibited gross contamination for arsenic and or PCP. Due to the severe erosion of surface soils and overland transport of contaminate soils and wood debris, surface water and sediment contamination in an offsite wetland to the northeast has resulted.

Over the years PWP had filled erosion gullies with wood debris and ash from the boiler where PCP sludges were burned. This wood debris layer is semi-saturated with the PCP/oil mixture. The PCP/oil mixture, which has traveled to the groundwater and spread horizontally as a light non-aqueous phase liquid (LNAPL) layer is floating on the water table over an estimated 4-acre area. A dissolved phase PCP plume exists in the groundwater. Groundwater contamination appears to be stable, and there is no evidence of contaminated groundwater discharging to the wetland or migrating below the wetland to surface water bodies.

Hazardous Substances that have been released and/or detected at the site in each media include:

Contaminant Media

Arsenic Groundwater, Sediment, Soil, Surface Water

Benzene Groundwater, Soil

Chloride Groundwater, Surface Water

Copper Groundwater, Sediment, Soil, Surface Water

Ethylbenzene Groundwater, Soil

Fluorene Soil

Iron Groundwater, Surface Water

Isophorone Soil

Manganese Groundwater, Surface Water

Methylnaphthalene Soil

Naphthalene Groundwater, Soil

Pentachlorophenol Groundwater, Sediment, Soil, Surface Water

Phenanthrene Soil

Toluene Groundwater, Soil Xylene Groundwater, Soil

Zinc Groundwater, Sediment, Soil, Surface Water

A baseline Risk Assessment was conducted to evaluate potential risks from contaminant exposure at the PWP site, and determine the need for and extent of remediation. A Focused Human Health Risk Assessment Report (Ecology & Environment 1997) and a Screening Level Ecological Risk Assessment Report (CH₂M Hill 1998a) were prepared. The risk assessments were conducted in accordance with EPA's guidance. Based on the results of the Focused Human Health Risk Assessment and Screening Level Ecological Risk Assessment, exposure to contaminated soil or groundwater are associated with significant human health and ecological risks, due to exceedance of EPA's risk management criteria for either the average or the reasonable maximum exposure scenario. Risks from exposure to soil were significant primarily due to the presence of arsenic and PCP.

IV. Remedial Action

Remediation Objectives

The Record of Decision (ROD) for the Penta Wood Products Site was signed on September 29, 1998. Remedial Action Objectives (RAOs) were developed as a result of data collected during the Remedial Investigation to aid in the development and screening of remedial alternatives to be considered for the ROD. Pentachlorophenol and arsenic are the primary risk drivers at the site. Pentachlorophenol is present in soils extending down to groundwater, is a major component of the LNAPL, and is present in the groundwater plume. Arsenic is present primarily in surface soils and wetland sediments.

<u>Pentachlorophenol</u>: The remedial objective is to reduce the PCP content in soils and groundwater to achieve compliance with ch. NR 720, Wisconsin Administrative Code, and in groundwater to achieve compliance with PALs, as established in ch. NR 140, Wisconsin Administrative Code, within a reasonable period of time. This reduction will be accomplished by removing the free phase LNAPL, and associated highly contaminated groundwater, remediating the PCP in the soils, and monitoring the intrinsic remediation of PCP in the groundwater. Institutional controls will be used to prevent groundwater use or direct contact exposure prior to achieving compliance.

<u>Arsenic:</u> Highly contaminated arsenic soils will be immobilized and consolidated with other arsenic contaminated soils (above background), and secured, to achieve compliance with NR 720. Soil contaminated with arsenic and other metals will be managed to essentially eliminate the direct contact exposure route and to protect groundwater. Performance of the metals consolidation area will be monitored.

<u>Erosion Controls:</u> An Erosion Control Plan will be implemented and maintained to prevent physical transport of contamination off-site and to protect the cap and consolidated areas from damage. The erosion control measures will be periodically inspected, and maintained/repaired as necessary.

The remedial actions will prevent the potential for human health and environmental risks associated with the exposure to PCP, fuel oil components, and metals in the soil, sediment, and groundwater.

Remedy Selection

The major components of the remedy selection included the following:

- Building demolition.
- Segregation, select solidification, and placement of all arsenic contaminated soils in an onsite Corrective Action Management Unit (CAMU).
- Consolidation of Pentachlorophenol (PCP)/fuel oil soils and wood chips in the CAMU under a soil cover.
- Bioventing PCP/fuel oil contaminated material.
- Biopad removal and disposal onsite in the CAMU.
- Erosion control measures
- Revegetation
- Light non-aqueous phase liquid (LNAPL) removal.
- Containment, collection, treatment and discharge of grossly contaminated groundwater (exceeding 1,000ug/L PCP).
- Monitored Natural Attenuation (MNA) of groundwater contamination.
- Institutional controls
- Environmental monitoring/maintenance

Remedy Implementation

The site cleanup was a fund-financed remedial action to accomplish the objectives of the ROD. The remedial action (RA) includes a construction phase and a Long-Term Remedial Action (LTRA) phase.

Remedial construction activities in support of the RA began in December 1999 with actual construction starting on March 6, 2000. These activities included the following:

- Demolition of 17 buildings and foundations, and the offsite disposal of demolition material, debris piles, and laboratory chemicals.
- Excavation and consolidation of contaminated soils into a 7-acre Corrective Action Management Unit (CAMU), as shown in Attachment 3. PCP-contaminated soils were deposited on the CAMU's southern portion and arsenic-contaminated soils were placed on the northern portion. A wall of concrete rubble and stabilized arsenic-contaminated soil divides the two portions.
- Constructing an infiltration basin for discharging treated groundwater.
- Placing a soil cover over the CAMU with 6 inches of sand followed by 6 inches of topsoil, and then seeding and mulching the cover. Installing a gated 6-foot high fence encircling the perimeter of the CAMU restricted access.
- Erosion control structures including gabion basket downchutes, velocity control
 check dams and rip-rapped drainage ditches were constructed to protect the
 integrity of the CAMU.
- Seeding and mulching all barren areas and establishing a vegetative cover over all
 exposed areas of the site, including mulching and planting prairie grasses, native
 trees and shrubs.
- Drilling operations included abandonment of existing wells and the installation of the multi-purpose biovent and groundwater extraction wells, soil gas wells, a monitoring well, and the groundwater and LNAPL recovery pumps.
- Constructing a treatment building housing the biovent blower system, LNAPL recovery tanks and a groundwater treatment system. The treatment system consisting of an oil bag filter, activated clay treatment, granular activated carbon treatment, controls, and discharge piping.

The original remedial construction was completed in September 2000 but the groundwater treatment system was unable to achieve the required discharge limits for the treated groundwater. The groundwater treatment system could not be operated without almost immediately clogging the oil bag filter, activated clay treatment and granular activated carbon units with emulsified oil. An additional remedial action was

required to construct a wastewater treatment plant addition to treat contaminated groundwater and LNAPL to meet discharge limits set in the approved ROD. U.S. EPA and the WDNR signed a revised Superfund State Contract (SSC) in February and March 2003 respectively. The total cost of the remedial action (including long-term remedial action) increased from \$7.7 million (original SSC in late 1999) to \$12.7 million. The additional remedial action included the following:

- Construct a building to house the treatment plant addition.
- Install treatment equipment including a Dissolved Air Floatation (DAF) unit, a sludge dewatering system and sludge handling equipment.
- Install a well to obtain potable water.
- Continue to implement the long-term remedial action (LTRA) for a ten-year period, which starts three months after U.S. EPA certifies that the treatment plant is operational and functional.

A final inspection of the additional remedial action was conducted on May 5, 2004, and the U.S. EPA certified the treatment plant operational and functional on August 12, 2004. This began the 10-year LTRA period.

The cost for operation and maintenance during the LTRA of the site will be born 90% by the U.S. EPA and 10% by the WDNR. At the end of this 10-year period the State has agreed to take over the operation and maintenance of the site if treatment goals have not been met.

V. Progress Since the Last Five-Year Review

This is the first five-year review for the site.

VI. Five Year Review Process

Administrative Components

The five-year review was conducted by William Schultz, representative of the state support agency and Anthony Rutter, Regional Project Manager (RPM) for EPA Region 5.

From October 14, 2004 to November 16, 2004 the reviewer established a review schedule whose components included:

- Community Involvement/Notification
- Document Review
- Data Review

- Site Inspection
- Five-Year Review Report Development and Review

The schedule extended through January 15, 2005.

Community Involvement

The EPA published a public notice announcing the five-year review in the Burnett County Sentinel and in the Inter-county Leader on October 27, 2004. The release contained a brief summary of the site activities, the Five-Year review process and a solicitation for public comment. No comments concerning the Penta Wood Products site and the Five-year review process were received during this period. No interviews were conducted with the public.

Document Review

This five-year review consisted of a review of relevant documents including source control remedial action documentation and groundwater monitoring records. Applicable groundwater standards as listed in the 1998 ROD were reviewed. The Quality Assurance Project Plan (QAPP), Final Operations and Maintenance Manual and the Groundwater Sampling Results Technical Memorandum for 2003 were also reviewed.

Data Reviewed

Groundwater Monitoring Data

Treated Groundwater Discharge Data

Site Inspection

The WDNR project manager conducted an inspection of the site on November 15, 2004. The purpose of the inspections was to assess the protectiveness of the remedy including the operation of the groundwater/LNAPL treatment facility and the effectiveness of the erosion control structures. In addition, the condition of the perimeter fencing, monitoring wells and re-vegetated areas were observed. A copy of the Site Inspection Checklist is included in "Attachment 5".

No significant issues were identified during the site inspections. The following items were observed:

- The groundwater/LNAPL treatment plant was operating satisfactorily and has been operating continuously except for regular maintenance since May 1, 2004.
- Erosion control structures have continued to be expanded and refined since their installation in 2000. Rock dams and rip-rapped lined ditches have been constructed

as needed. Additional rock-lined diversion swales are to be installed in the spring of 2005 along the east side of the CAMU.

- The fencing along the highway and around the perimeter of the CAMU appears to be restricting access to the site.
- The monitoring wells were locked and appear to be in good condition.

The appropriate deed restrictions to limit property use to industrial have not been placed on the property deed.

Requests to Solicit Comments

On December 1, 2004, letters were sent to explain the required five-year review and solicit comments or concerns from various parties in the area of the site. These letters were sent to the following public stakeholders:

- Roberta Sichta, Emergency Government Director, Burnett County, Wisconsin
- Vernon Peterson, Town of Daniels Chairman, Burnett County, Wisconsin
- Tom Howe, Chief, Siren Fire Department, Siren, Wisconsin

A copy of the letter is in Attachment 6.

VII. Technical Assessment

Question A: Is the remedy functioning as intended by the decision documents?

The review of documents, ARARs, risk assumptions, and the results of the site inspection indicate that the remedy is functioning as intended by the ROD, and includes the following:

- The excavation and stabilization of contaminated soil and subsequent disposal in an on-site CAMU has achieved the remedial objective to prevent direct contact with contaminants in the soil and minimize the migration of contaminants to groundwater and surface water.
- The construction and maintenance of the erosion control measures continues to protect the soil cover of the CAMU and to minimize erosion other soils.
- The construction of the LNAPL recovery system and the groundwater treatment system has been completed. Treated groundwater is meeting the required on-site discharge limits. The treatment system will continue to be operated until it is appropriate for groundwater to be restored to NR140 Wisconsin Administrative Code Preventive Action Limits (PALs) by natural attenuation.
- The monitoring well network provides sufficient data to assess groundwater quality at the site and to determine the effectiveness of the remedial action. The Long Term Monitoring Plan is providing adequate sampling and analysis for compliance monitoring as required by the selected remedy. The groundwater contamination has been confined to the site and there is little movement of the contaminant plume. Monitoring of adjacent residential wells has demonstrated that the plume has been contained on site. There was one sampling event where a low level of PCP below the MCL was found in a residential well but no PCP was found during subsequent sampling events. The groundwater pump and treatment system is providing effective treatment and containment of the plume.
- The perimeter fencing and fencing around the CAMU appears adequate to limit access to the site.

The ROD requires "Institutional Controls" in the form of groundwater use restriction and land use restrictions be implemented to prohibit site groundwater use and restrict activities in the CAMU. Because the groundwater treatment system needs oversight and the site erosion control needs are continually monitored, unacceptable groundwater and land use are currently prevented. The need for this restriction to be placed on the deed is not necessary until the active groundwater treatment system has been shut down. U.S. EPA has a large lien on the property for the cleanup costs which means that the property will not be sold.

Question B: Are the exposure assumptions, toxicity data, cleanup levels, and remedial action objectives used at the time of the remedy selection still valid?

There have been no changes in the physical condition of the site that would affect the protectiveness of the remedy.

Changes in Standards and To Be Considered (TBC)

The active remedial action construction activities are complete at the site. NPDES exceedances for contaminants originating on-site are being addressed by the continued operation of the groundwater treatment system and maintenance of the CAMU. There have been no changes in these ARARs and no new TBCs affecting the protectiveness of the remedy.

Changes in Exposure Pathways, Toxicity, and Other Contaminant Characteristics

The exposure assumptions used to develop the Human Health Risk Assessment included both current exposures (older child trespasser, adult trespasser) and potential future exposures (young and older future child resident, future adult resident and future adult worker). There have been no changes in the toxicity factors for the contaminants of concern that were used in the baseline risk assessment. These assumptions are considered to be conservative and reasonable in evaluating risk and developing risk based cleanup levels. No change to these assumptions or the cleanup levels developed from them is warranted. There has been no change to the standardized risk assessment methodology that could affect the protectiveness of the remedy. The remedy is progressing as expected.

Question C: Has any other information come to light that that calls into question the protectiveness of the remedy?

There is no information generated during the five-year review process or other information that calls into question the protectiveness of the remedy.

Technical Assessment Summary

According to the data reviewed, the site inspection, and the interviews, the remedy is functioning as intended by the ROD. There have been no changes in the physical conditions of the site that would affect the protectiveness of the remedy. There has been no change to the standardized risk assessment methodology that could affect the protectiveness of the remedy. There is no other information that calls into question the protectiveness of the remedy.

VI. Issues

A deed restriction in the form of groundwater use restriction and land use restrictions is necessary to prohibit site groundwater use and restrict activities in the CAMU. These deed restrictions need not be implemented until the active groundwater treatment system is shut down.

The Final Operation & Maintenance Manual should require an annual review/report to be developed that annually summarizes all monitoring at the site and evaluates the effectiveness of the treatment system in meeting cleanup goals. In addition the annual review/report should include a summary of site activities including waste generation and disposal, site inspections, erosion control, and site maintenance.

No other issues were identified that would affect either the current or future protectiveness of the remedy.

IX. Recommendations and the Follow-Up Actions

The remedy should continue to be implemented in accordance with the provisions of the ROD. A restriction needs to be placed on the property deed to restrict groundwater and land use in the future. The property under and near the CAMU will be permanetly restricted to prohibit any disturbance since high levels of arsenic will remain in the CAMU forever. Groundwater use will be restricted on the rest of the site until PAL's have been met for Pentachlorophenol. The remediation of the groundwater will continue until WDNR PAL's are met. The groundwater treatment system will operate as long as it is cost effective to do so and then natural attenuation will continue the process until the PAL's are met. The current operating costs for the treatment plant are estimated to be about \$1,100,000 a year.

An annual report beginning with the start of the LTRA (August 2004) should be developed to summarize all activities that have taken place the previous year. This report should include a review of historical groundwater and MNA data trends, tabulated groundwater monitoring data, determinations of LNAPL and dissolved phase plume stability, and proposed modifications to The Long Term Monitoring Plan (LTMP). In addition the annual report should include waste generation and disposal summaries, site inspection observations, and any necessary repairs to the sediment control structures. Any changes to the Operation and Maintenance Plan should be discussed in the annual report.

Table 2 Recommendations and Follow-Up Actions

Recommendations/ Follow-up Actions	Party Responsible	Oversight Agency	Milestone Date	Follow-up action Affects Protectiveness (Y/N)				
				Current	Future			
Deed Restriction	WDNR	EPA	unknown	N	Υ			
Annual Report	EPA	EPA	Annually	N	N			

X. Protectiveness Statement


The remedy is expected to be protective of human health and the environment when groundwater standards are achieved. In the interim, exposure pathways that could result in unacceptable risks are being controlled. To assure exposure risks in the interim are controlled an annual review/report of the operation and maintenance of the RA will be implemented. Long term protectiveness will be assured when groundwater standards are achieved and institutional controls are implemented.

XI. Next Review

The next five—year review for the Penta Wood Products site is required by December 2009.


Attachment 1

Site Location Map



Attachment 2

Pre Remedial Site Map



P.4.18

Attachment 3

Post Remedial Construction Site Map

Attachment 4

Groundwater & Effluent Monitoring Results

The results of the system and WPDES PCP sampling are summarized in the table below.

SYSTEM, EFFLUENT, AND WPDES	PCP SAMPLIN	G RESULTS	
Sample	Volume	DAF PCP	_

Sample Event	Date	Volume (kgal)	DAF PCP (µg/L)	GAC1 PCP (µg/L)	Effluent PCP (µg/L)
1 .	02/27/2004	30	2,600	0.18 ,	0.025J
2	02/28/2004	97	2,800	0.076J	0.026J
3	03/01/2004	202	3,000	4.5	0.10U
4	03/02/2004	. 254	2,600	0.11	0.12U
5	03/09/2004	288	2,700	0.084J	0.11U
6	03/10/2004	332	3,000	0.21	0.11U
7	03/11/2004	357	3,700	0.48	0.11U
8	03/12/2004	392	3,100	. 0.41	0.11U
. 9	03/15/2004	467	3,500	0.18	0.1U
10	04/13/2004	631	×	×	x
11	04/27/2004	1,049	14,300B	0.832B	0.0271JB
12	04/28/2004	1,121	XX	0.125B	0.0183JB
13	05/06/2004	1,280	15,500B	0.0877JB	0.1,25B
14	05/13/2004	1,687	12,400B _	0.161B	0.0260B
15	05/24/2004	2,327	12,300B	0.142B	0.0282B
16	06/10/2004	3,274	12,000B	0.293B	0.0943U
17	06/16/2004	3,920	22,600	69.9	0.137
18	06/17/2004	3,984	14,500	458	0.050U
19	06/23/2004	4,468	*NA	*NA	*NA
20	06/24/2004	4,587	14,400	2,000E	0.127
21	06/28/2004	4,700	*NA	*NA	*NA
22	06/30/2004	4,965	*NA	*NA	*NA
23	07/01/2004	5,806	11,900B	209B	0.081JB
24	07/14/2004	5,200	15,300	51.3	0.126

SYSTEM, EFFLUENT, AND WPDES PCP SAMPLING RESULTS

Sample Event	Date	Volume (kgal)	DAF PCP (µg/L)	GAC1 PCP (µg/L)	Effluent PCP (µg/L)
25	07/20/2004	5,856	-	-	0.0952U
26	07/29/2004	6,865	10,400	3,180	0.0971U
27	08/04/2004	7,482	10,400	3,130	0.103
28	08/16/2004	8,172	8,100	4,710	0.348
29	08/27/2004	8,400	10,100		0.151
30	09/16/2004	9,388	7,530B	0.199B	0.0724JB
31	09/23/2004	10,124	-	27.8B	0.393B
32	09/28/2004	10,200	10,900B		0.102B
33	10/05/2004	10,986		366	0.0990
34	10/14/2004	11,782	-	843	0.265B
35	10/19/2004	12,272	*	*	*
· 36	10/26/2004	13,040	*	•	• ·

Notes:

Qualifiers:

B = Analyte found in the method blank

J = Estimated value

U = Analyte was not detected at or above the stated limit

The results of the WPDES sampling are summarized in the table on the following page.

^{* =} Sample results are not yet available from the laboratory or the analysis is on hold per instruction from CH2M HILL. Some samples were placed on hold pending the results of the quick turn-around time samples. If no breakthrough was detected in the GAC1 effluent, the earlier samples were not analyzed.

^{*}NA = Sample analysis was on hold and cancelled based on the results of the quick turn-around time samples.

^{- =} Samples were not obtained.

X = Samples were collected, but the laboratory failed to perform the analysis using the required reporting limit and the results were rejected. No payment was made for these samples.

XX = No sample was available—the sample bottle was broken.

WPDES SAMPLING SUMMARY

Date	Pentachlorophenol (µg/L) Influent	pH Field	Total Suspended Solids (TSS; mg/L)	Chloride (mg/L)	Diesel Range Organics (DRO; mg/L)	Total Organic Carbon (TOC; mg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	Total Trimethylbenzene (µg/L)	Dioxin (2,3,7,8 TCDD; pg/L; 3.0 pg/L monthly average limit)	Pentachlorophenol (µg/L; 0.1 mg/L monthly average limit)	Phenol (µg/L)	Naphthalene (µg/L; 8.0 µg/L monthly average limit)	Benzene (µg/L; 0.5 µg/L monthly average limit)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylene (µg/L)	Arsenic, Total Recoverable (ug/L; 5.0 µg/L monthly average limit)	Copper, Total Recoverable (µg/L)	Zinc, Total Recoverable (µg/L)	Iron, Total Recoverable (µg/L)	Manganese, Total Recoverable (µg/L)	Acid Extractables	Dioxins & Furans (all cogeners)
10-Jun-04	12,000B	7.0	2.13U	29	0.10U	0.775B	5.0U	5.0U	10.0U	1.78U	.0943U	5.0U	5.0U	0.5U	5.0U	5.0U	5.0U	0.967B	4.92	111	412	2,230	-	
16-Jun-04		7.0			 						0.137					ļ			ļ					
17-Jun-04		7.0									0.050U					<u></u>								
23-Jun-04		7.0									*NA													
24-Jun-04		7.0									0.127							L						
01-Jul-04		7.0									0.081JB			l 										
14-Jul-04		7.0									0.126													
20-Jul-04	-	7.0	2.13U	30B	0.10U	1.12	1.0U	1.0U	2.0U	1.78U	0.0952U	4.85U	1.0U	0.5U	1.0U	1.0∪	1.0U	0.843B	3.49	79.7	5.48B	2,460		
29-Jul-04		7.0						1,			0.0971U													
04-Aug-04		7.0									0.103			:										
16-Aug-04		7.0									0.348										1			
27-Aug-04	_	7.0	4.0U	-	0.10U	0.789B	1.0U	1.0U	2.0U	1.58U	0.151	9.62U	1.0U	0.50	1.00	1.0U	1.0U	2.19	3.75	98.1	-		-	
16-Sep-04		7.0									0.0724JB													
23-Sep-04		7.0			·						0.393B													
28-Sep-04	10,900B	7.0	4.0U	28	0.10U	0.811B	1.0U	1.0U	2.0U	2.17U	0.102B	9.43U	1.00	0.5U	1.0U	1.0U	1.0U	1.0U	5.51	95.5	36.8B	2,470	-	
5-Oct-04		7.0									0.0990]												

WPDES SAMPLING SUMMARY

Date	Pentachlorophenol (µg/L) Influent	pH Field	Total Suspended Solids (TSS; mg/L)	Chloride (mg/L)	Diesel Range Organics (DRO; mg/L)	Total Organic Carbon (TOC; mg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	Total Trimethylbenzene (µg/L)	Dioxin (2,3,7,8 TCDD; pg/L; 3.0 pg/L monthly average limit)	Pentachlorophenol (µg/L; 0.1 mg/L monthly average limit)	Phenol (µg/L)	Naphthalene (µg/L; 8.0 µg/L monthly average limit)	Benzene (µg/L; 0.5 µg/L monthly average limit)	Ethylbenzene (µg/L)	Toluene (µg/L)	Xylene (µg/L)	Arsenic, Total Recoverable (ug/L; 5.0 µg/L monthly average limit)	Copper, Total Recoverable (µg/L)	Zinc, Total Recoverable (µg/L)	Iron, Total Recoverable (µg/L)	Manganese, Total Recoverable (µg/L)	Acid Extractables	Dioxins & Furans (all cogeners)
14-Oct-04		7.0									0.265B													
19-Oct-04		7.0													1									
26-Oct-04		7.0	-																					

Qualifiers:
B = Analyte found in the method blank
J = Estimated value

U = Analyte was not detected at or above the stated limit

Notes:

*NA = Sample analysis was on hold and cancelled based on the results of the quick turn-around time samples.
-- = Not sampled.

135 South 84th Street

Suite 325

Milwaukee, WI 53214-1458

Tel 414.272.2426

Fax 414.272.2426



November 29, 2004

184202.CV.05

Mr. Tony Rutter Remedial Project Manager U.S. Environmental Protection Agency Remedial Response Branch (SR-6J) 77 West Jackson Boulevard Chicago, IL 60604-3507

Subject:

Requested Historical Residential Well Data

Penta Wood Products Site, Town of Daniels, Wisconsin

Work Assignment No. 201-RALR-05WE, Contract No. 68-W6-0025

Dear Tony:

Enclosed please find one copy of the database printout of the residential well data for the Penta Wood Products Site requested by Bill Schultz/WDNR. The data summarized in the printout covers the period of time from 2000 to 2004 which corresponds to the completion of the Remedial Action.

Please feel free to call me with any other requests or questions you may have regarding the historical monitoring well data.

Sincerely,

c:

CH2M HILL REC androe

William Andrae Site Manager

Stephen Nathan/PO/USEPA (w/o enclosure)

Bill Schultz/WDNR, Rhinelander

Ike Johnson/PM/CH2M HILL, Milwaukee (w/o enclosure)

Steve Paukner/Chemist/CH2M HILL, Milwaukee (w/o enclosure)

Cherie Wilson/AA/CH2M HILL, Milwaukee (w/o enclosure)

Penta Wood LTRA Residential Well Results 2000-2003

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	RW-01	RW-01	RW-01	RW-01	RW-01	RW-01	RW-01
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/23/2001	09/11/2001	09/28/2001	09/28/2001	05/14/2002	08/06/2002	04/29/2003
	Field Sample Identification:	01CB07-62	01CB28-27	01CB28-53	01CB28-59	02CB14-17	02CB18-55	03CB08-13
	Laboratory Sample Identification:	210419612	913080-032	210916201	913316-001	02052485-14	02081721-5	217123-007
SVOA	Units	0.4.11	0.074		0.0511	0.00	0.04	0.4.1
Pentachlorophenol	ug/L	0.1 U	0.071 J	0.1 UJ	0.05 U	0.23	0.04	0.1 J

Penta Wood LTRA Residential Well Results 2000-2003

	Field Site Identifier:	PENTA						
	Field Sample Location:	RW-01	RW-01	RW-02	RW-02	RW-02	RW-02	RW-02
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	09/23/2003	11/20/2003	04/24/2001	09/11/2001	09/28/2001	09/28/2001	05/14/2002
	Field Sample Identification:	03CB14-51	03CB14-71	01CB07-80	01CB28-28	01CB28-54	01CB28-60	02CB14-18
	Laboratory Sample Identification:	19255-024	222528-002	210420904	913080-033	210916202	913316-002	02052485-15
SVOA Pentachlorophenol	Units ug/L	0.28	0.24	0.1 U	9.5	0.1 UJ	0.05 U	0.1

Penta Wood LTRA Residential Well Results 2000-2003

	Field Site Identifier:	PENTA						
	Field Sample Location:	RW-02	RW-02	RW-02	RW-02	RW-03	RW-03	RW-03
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	08/06/2002	08/06/2002	04/29/2003	09/24/2003	09/11/2001	09/28/2001	09/28/2001
	Field Sample Identification:	02CB18-57	02CB18-99	03CB08-14	03CB14-52	01CB28-25	01CB28-56	01CB28-62
	Laboratory Sample Identification:	02081721-2	02081721-3	217123-008	19255-012	913080-030	210916204	913316-004
SVOA Pentachlorophenol	Units ug/L	0.04 U	0.04 U	0.11 U	0.11 U	0.1 J	0.1 UJ	0.05 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	RW-03	RW-03	RW-03	RW-03	RW-04	RW-04	RW-04
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	05/14/2002	08/06/2002	04/29/2003	09/23/2003	04/23/2001	09/11/2001	09/28/2001
	Field Sample Identification:	02CB14-19	02CB18-59	03CB08-15	03CB14-54	01CB07-61	01CB28-26	01CB28-57
	Laboratory Sample Identification:	02052485-16	02081721-6	217123-009	19255-025	210419611	913080-031	210916205
SVOA Pentachlorophenol	Units ug/L	0.094 J	0.04 U	0.11 U	0.11 U	0.1 U	0.073 J	0.1 UJ
remachiolophenoi	ug/L	0.034 0	U.U4 U	0.110	0.110	0.1 0	0.0100	0.1 00

	Fleld Site Identifier:	PENTA	PENTA ·	PENTA	PENTA	PENTA	PENTA
	Fleld Sample Location:	RW-04	RW-04	RW-04	RW-04	RW-04	RW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/28/2001	05/14/2002	08/06/2002	04/29/2003	09/23/2003	04/23/2001
	Field Sample Identification:	01CB28-63	02CB14-20	02CB18-61	03CB08-16	03CB14-55	01CB07-63
	Laboratory Sample Identification:	913316-005	02052485-17	02081721-1	217123-010	19255-026	210419613
SVOA Pentachlorophenol	Units ug/L	0.05 U	0.13	0.04 U	0.11 U	0.11 U	0.1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	RW-01	RW-01	RW-01	RW-01	RW-01	RW-01	RW-02
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/23/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/23/2003	04/24/2001
	Field Sample Identification:	01CB07-62	01CB28-27	02CB14-17	02CB18-55	03CB08-13	03CB14-51	01CB07-80
	Laboratory Sample Identification:	210419612	913080-032	02052485-14	02081721-5	217123-007	19255-024	210420904
Volatiles	Units							
Naphthalene	ug/L	5.3 U	0.26 U	5 U	5 U	7.1 UJ	0.97 Ú	5.4 U
Benzene	ug/L	0.5 U	0.44 U	1 UJ	1 U	0.5 U	0.25 UJ	0.1 Ú
Ethylbenzene	ug/L	5 U	0.5 U	5 U	5 U	5 U	2.5 UJ	1 U
Toluene	ug/L	5 U	0.4 U	2 J	5 U	5 U	2.5 UJ	1 U
Xylenes (Total)	ug/L	5 U	1.2 U	2 J	5 U	5 U	2.5 UJ	1 U

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PEŅTA	PENTA	PENTA
	Field Sample Location:	RW-02	RW-02	, RW-02	RW-02	RW-02	RW-02	RW-03
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/11/2001	05/14/2002	08/06/2002	08/06/2002	04/29/2003	09/24/2003	09/11/2001
	Field Sample Identification:	01CB28-28	02CB14-18	02CB18-57	02CB18-99	03CB08-14	03CB14-52	01CB28-25
	Laboratory Sample Identification:	913080-033	02052485-15	02081721-2	02081721-3	217123-008	19255-012	913080-030
Volatiles	Units							
Naphthalene	ug/L	0.25 U	5 U	5 U	5 U	6.8 UJ	0.97 U	0,28 Ú
Benzene	ug/L	0.44 U	1 UJ	1 U	1 U	0.5 U	0.25 UJ	0.44 U
Ethylbenzene	ug/L	0.5 U	5 U	5 U	5 U	5 U	2.5 UJ	0.5 U
Toluene	ug/L	0.4 U	5 U	5 U	5 U	5 U	2.5 UJ	0.4 U
Xylenes (Total)	ug/L	1.2 U	5 U	5 U	5 U	5 U	2.5 UJ	1.2 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Fleid Sample Location:	RW-03	RW-03	RW-03	RW-03	RW-04	RW-04	RW-04
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
-	Sample Collection Date:	05/14/2002	08/06/2002	04/29/2003	09/23/2003	04/23/2001	09/11/2001	05/14/2002
	Field Sample Identification:	02CB14-19	02CB18-59	03CB08-15	03CB14-54	01CB07-61	01CB28-26	02CB14-20
	Laboratory Sample Identification:	02052485-16	02081721-6	217123-009	19255-025	210419611	913080-031	02052485-17
Volatiles	Units							
Naphthalene	ug/L	5 U	5 U	6.8 UJ	0.96 U	5 U	0.25 U	5 U
Benzene	ug/L	1 UJ	1 U	0.5 U	0.25 UJ	0.5 U	0.44 U	1 UJ
Ethylbenzene	ug/L	5 U	5 U	5 U	2.5 UJ	5 U	0.5 U	5 U
Toluene	ug/L	5 U	5 U	5 U	2.5 UJ	5 U	0.4 U	5 U
Xylenes (Total)	ug/L	5 U	5 U	5 U	2.5 UJ	NA	1.2 U	5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	RW-04	RW-04	RW-04	RW-05
	Sample Interval:	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	04/29/2003	09/23/2003	04/23/2001
	Field Sample Identification:	02CB18-61	03CB08-16	03CB14-55	01CB07-63
	Laboratory Sample Identification:	02081721-1	217123-010	19255-026	210419613
Volatiles	Units				
Naphthalene	ug/L	5 U	7.4 UJ	0.99 U	5 U
Benzene	ug/L	1 U	0.5 U	0.25 UJ	0.5 U
Toluene	ug/L	5 U	5 U	2.5 UJ	5 U
Xylenes (Total)	ug/L	5 U	5 U	2.5 UJ	5 U

Fiel	d Site Identifier:	01	01	01	01	01	01
Fleid S	ample Location:	RW-01	RW-01	RW-02	RW-03	RW-04	RW-05
;	Sample Interval:	-	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water
Sample	Collection Date:	11/20/2003	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
Field Samp	le identification:	03CB14-71	04CB05-12	04CB05-14	04CB05-15	04CB05-16	04CB05-17
Laboratory Samp	le Identification:	222528-	0405056	0405056	0405056	0405056	0405056
Semivolatiles	Units					:	
PENTACHLOROPHENOL	ug/l	0.24	0.140 UB	0.0252 UB	0.0952 U	0.100 U	0.0935 U

	Field Site Identifier:	01	01	01	01	. 01
	Field Sample Location:	RW-01	RW-02	RW-03	RW-04	RW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Field Sample Identification:	04CB05-12	04CB05-14	04CB05-15	04CB05-16	04CB05-17
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
/olatiles	Units					· · · · · · · · · · · · · · · · · · ·
THYLBENZENE	ug/l	5.00 U				
TOLUENE	ug/l	5.00 U	5.00 U	5,00 U	5.00 U	5.00 U
BENZENE	ug/l .	0.500 U				
NAPHTHALENE	ug/l	5.00 U				
XYLENES, TOTAL	ug/l	5.00 U				





November 15, 2004

184202.CV.05

Mr. Tony Rutter Remedial Project Manager U.S. Environmental Protection Agency Remedial Response Branch (SR-6J) 77 West Jackson Boulevard Chicago, IL 60604-3507

Subject:

Requested Historical Monitoring Well Data

Penta Wood Products Site, Town of Daniels, Wisconsin

Work Assignment No. 201-RALR-05WE, Contract No. 68-W6-0025

Dear Tony:

Enclosed please find one copy of the database printout you requested of the monitoring well data for the Penta Wood Products Site. The data summarized in the printout covers the period of time from 2000 to 2004 which corresponds to the completion of the Remedial Action. Per your request, the printout does not include residential well results.

Please feel free to call me with any other requests or questions you may have regarding the historical monitoring well data.

Sincerely,

CH2M HILL

William Andrae Site Manager

c: Stephen Nathan/PO/USEPA (w/o enclosure)

Bill Schultz/WDNR, Rhinelander

hain androe

Ike Johnson/PM/CH2M HILL, Milwaukee (w/o enclosure)

Steve Paukner/Chemist/CH2M HILL, Milwaukee (w/o enclosure)

Cherie Wilson/AA/CH2M HILL, Milwaukee (w/o enclosure)

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-64	01CB28-21	02CB14-05	02CB18-09	03CB08-03	03CB14-05
	Laboratory Sample Identification:	200403802	210420901	913080-024	02052485-24	02081571-27	18483-010	19267-005
Semivolatiles Naphthalene Pentachlorophenol	Units ug/L ug/L	11 U 0.5 U	5.6 U 0.1 U	0.24 U 0.5	5 U 0.13 J	5 U 0.067	7.4 UJ 0.1 UJ	1 U 0.13

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-02	MW-02	MW-02	MW-02	MW-02	MW-03	MW-03
	Sample interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/05/2000	06/18/2001	09/12/2001	08/06/2002	09/24/2003	04/04/2000	04/25/2001
•	Field Sample Identification:	00CB09-02	01CB08-66	01CB28-39	02CB18-13	03CB14-09	00CB09-03	01CB07-83
ı	Laboratory Sample Identification:	200403810	210611201	913080-011	02081571-9	19267-009	200402501	210422706
Semivolatiles	Units							
NAPHTHALENE	ug/L	10 U	5 U	0.24 U	5 U	0.99 U	12 U	6.1 R
PENTACHLOROPHENO	OL ug/L	0.5 U	0.1 UJ	0.51	0.12	0.28	0.6 U	0.11 U

Fle	ld Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field S	Sample Location:	MW-03	MW-03	MW-03	MW-04	MW-05	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample	Collection Date:	09/13/2001	08/07/2002	09/23/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001
Field Sam	ole Identification:	01CB28-44	02CB18-15	03CB14-11	00CB09-04	00CB09-05	01CB08-05	01CB28-46
Laboratory Sam	ole Identification:	913103-001	02081571-35	19255-008	200402511	200405120	210423416	913103-006
Semivolatiles	Units							
NAPHTHALENE	ug/L	0.26 U	5 U	1.1 U	10 U	76 U	38	23
PENTACHLOROPHENOL	ug/L	0.092 J	0.11	0.31	0.5 U	20600	20600	6300

			•					
Field	Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field Sar	nple Location:	MW-05	MW-05	MW-06S	MW-06S	MW-06S	MW-06S	MW-07
Sa	ample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample C	ollection Date:	08/07/2002	09/25/2003	04/26/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000
Field Sample	Identification:	02CB18-17	03CB14-13	01¢B08-11	01CB28-34	02CB18-19	03CB14-15	00CB09-07
Laboratory Sample	Identification:	02081836-7	19274-009	210423404	913080-001	02081836-10	19274-005	200402505
Semivolatiles	Units							
NAPHTHALENE	ug/L	3.2 J	2.5	5.4 U	0.24 U	5 U	1 U	10 U .
PENTACHLOROPHENOL	ug/L	510	1100	2.5	1.1	88	0.33	0.5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-07	MW-07	MW-08	MW-08	MW-08
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/25/2001	09/11/2001	08/07/2002	09/24/2003	04/05/2000	04/25/2001	09/11/2001
	Fleid Sample Identification:	01CB07-87	01CB28-22	02CB18-21	03CB14-17	00CB09-08	01CB07-93	01CB28-18
•	Laboratory Sample Identification:	210422708	913080-026	02081571-32	19267-007	200403807	210422715	913080-035
Semivolatiles	Units				-			
NAPHTHALENE	ug/L	5.2 R	0.24 U	5 U	0.96 U	10 U	5 U	0.24 U
PENTACHLOROPHEN	VOL ug/L	0.1 U	0,083 J	0.03 J	0.044 J	0.5 U	0,2	0.062 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	,					FENIA	PENIA	PENIA
	Field Sample Location:	MW-08	MW-08	MW-09	MW-09	MW-09	MW-09	MW-09
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/08/2002	09/25/2003	04/05/2000	04/23/2001	09/12/2001	08/06/2002	09/25/2003
	Field Sample identification:	02CB18-23	03CB14-19	00CB09-09	01CB07-46	01CB28-36	02CB18-25	03CB14-21
	ratory Sample Identification:	02081571-38	19274-003	200403803	210419501	913080-004	02081571-11	19274-011
Semivolatiles	Units							
NAPHTHALENE	ug/L	5 U	1 U	10 U	5.3 U	0.24 U	5 ป	1 U
PENTACHLOROPHENOL	ug/L	0.04 U	0.11 U	0.6	0.12	0.76	0.54	2.3

97 BB 1

	Field Site Identifier:	PENTA						
•	Field Sample Location:	MW-10	MW-10	MW-10	MW-10	MW-10	MW-10S	MW-10S
	Sample Interval:	N/A						
	Matrix:	Water						
S	Sample Collection Date:	04/06/2000	04/26/2001	09/12/2001	08/07/2002	10/01/2003	04/07/2000	12/05/2000
Field	d Sample Identification:	00CB09-10	01CB07-97	01CB28-32	02CB18-27	03CB14-23	00CB09-18	01CB01-44
Laborator	y Sample Identification:	200405118	210423401	913080-007	02081836-1	19309-001	200405109	201202302
Semivolatiles	Units							
NAPHTALAENE	ug/L	60	5.2 U	130	120	18	512	152
PENTACHLOROPHENOL	ug/L	9530 J	22800	21000	22000	9000	56100 J	3810

Field Si	te Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field Samp	le Location:	MW-10S	MW-10S	MW-10S	MW-10S	MW-11	MW-11	MW-11
Sam	ple Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
•	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample Coll	ection Date:	04/25/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/24/2001	09/10/2001
Field Sample Id	lentification:	01CB07-85	01CB28-33	02CB18-29	03CB14-25	00CB09-11	01CB07-76	01CB28-12
Laboratory Sample id	lentification:	210422711	913080-008	02081836-5	19274-007	200402509	210420916	913080-013
Semivolatiles NAPHTHALENE PENTACHLOROPHENOL	Units ug/L ug/L	306 49000	75 82000	5 U 390	1 U 2200	11 U 0.6 U	5,4 U 0.11 U	0.24 U 0.091 J

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
•	Field Sample Location:	MW-11	MW-11	MW-12	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/26/2001	09/13/2001	05/14/2002	05/14/2002
	Field Sample identification:	02CB18-31	03CB14-27	00CB09-12	01CB08-03	01CB28-45	02CB14-07	02CB14-07DIL
·	Laboratory Sample Identification:	02081571-14	19255-014	200405103	210423413	913103-005	02052485-9	02052485-9
Semivolatiles	Units			•				
NAPHTHALENE	ug/L	5 U	0.98 U	47	44	40	32	NA
PENTACHLOROPHEN	OL ug/L	0.04 U	0.11 U	10300 J	1500	18000	4300 J	4300 R

Field	Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field San	nple Location:	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13	MW-13
Sa	imple Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample Co	ollection Date:	08/08/2002	04/29/2003	04/05/2000	12/05/2000	01/10/2001	04/23/2001	06/19/2001
Field Sample	identification:	02CB18-33	03CB08-05	00CB09-13	01CB01-52	01CB01-64	01CB07-44	01CB08-69
Laboratory Sample	Identification:	02081836-12	18483-018	200403805	201202701	210109501	210419508	210613201
Semivolatiles	Units							
NAPHTHALENE BENTACH OPORTURNO	ug/L	28	17 J	10 ບ	5.5 U	NA 0.010	5.3 U	5.3 UJ
PENTACHLOROPHENOL	ug/L	- 6400	3000	8.0	114 B	0.312	0.18	0.11 U

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-13	MW-13	MW-13	MW-14	MW-14	MW-15	MW-15
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	09/10/2001	08/05/2002	09/23/2003	04/06/2000	06/19/2001	04/04/2000	04/25/2001
•	Field Sample Identification:	01CB28-13	02CB18-03	03CB14-31	00CB09-14	01CB08-70	00CB09-15	01CB07-70
Lat	poratory Sample Identification:	913080-014	02081571-6	19255-001	200405101	210613202	200402503	210422701
Semivolatiles	Units							
NAPHTHALENE	ug/L	0.24 U	5 U	1 U	11 U	239	11 U	5.3 U
PENTACHLOROPHENOL	ug/L	0.69	0.64	2.9	0.5 U	0.96	0.5 U	0.11 U

Fleid S	ilte Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field Sam	pie Location:	MW-15	MW-15	MW-15	MW-16	MW-16	MW-16.	MW-16
Sar	nple Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample Co.	llection Date:	09/12/2001	08/06/2002	09/23/2003	04/06/2000	04/23/2001	09/10/2001	08/06/2002
Fleid Sample I	dentification:	01CB28-35	02CB18-35	03CB14-33	00CB09-16	01CB07-58	01CB28-16	02CB18-37
Laboratory Sample I	dentification:	913080-002	02081571-24	19255-003	200405114	210419510	913080-019	02081571-19
Semivolatiles	Units							
NAPHTHALENE	ug/L	0.24 U	-5 U	0.99 U	10 U	5.6 U	0.24 U	5 U
PENTACHLOROPHENOL	ug/L	0.077 J	0.04 U	0.1 U	0.5 U	0.11 U	0.17	0.035 J

Field	Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field San	nple Location:	MW-16	MW-17	MW-17	MW-17	MW-17	MW-17	MW-18
Sa	imple interval:	N/A	N/A	N/Å	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample C	ollection Date:	09/23/2003	04/06/2000	04/26/2001	09/11/2001	08/08/2002	09/25/2003	06/19/2001
Field Sample	identification:	03CB14-35	00CB09-17	01CB08-01	01CB28-24	02CB18-39	03CB14-37	01CB08-71
Laboratory Sample	Identification:	19255-016	200405107	210423411	913080-028	02081571-46	19274-015	210613203
Semivolatiles	Units				•			
NAPHTHALENE	ug/L	1.1 U	11 U	54	0.29 U	5 U	0.96 U	5 U
PENTACHLOROPHENOL	ug/L	0.089 J	0.5 U	0.72	0.059 U	0.032 J	0.46	27400

Fiel	d Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field S	ample Location:	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19
•	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample	Collection Date:	04/07/2000	04/26/2001	09/12/2001	05/13/2002	05/13/2002	08/08/2002	04/29/2003
Field Samp	le identification:	00CB09-19	01CB08-15	01CB28-38	02CB14-09	02CB14-09DIL	02CB18-43	03CB08-07
Laboratory Samp	le identification:	200405111	210423409	913080-010	02052485-6	02052485-6	02081836-14	18483-012
Semivolatiles NAPHTHALENE PENTACHLOROPHENOL	Units ug/L ug/L	22 11000 J	325 25600	240 400000	190 J 14000 J	190 R 14000 R	210 11000	1200 J 4900

Field Site	Identifier:	PENTA						
Fleid Sample	Location:	MW-19	MW-20	MW-20	MW-20.	MW-20	MW-21	MW-21
Samp	le interval:	N/A						
	Matrix:	Water						
Sample Colle	ction Date:	09/25/2003	04/26/2001	09/12/2001	08/07/2002	09/25/2003	05/14/2002	08/06/2002
Field Sample Ide	ntification:	03CB14-39	01CB08-08	01CB28-37	02CB18-45	03CB14-41	02CB14-11	02CB18-47
Laboratory Sample Ide	ntification:	19274-017	210423407	913080-005	02081836-3	19274-019	02052485-3	02081571-21
Semivolatiles	Units					1		
NAPHTHALENE	ug/L	3200	9970	890	1400	830	5 U	5 U
PENTACHLOROPHENOL	ua/L	15000	36600	83000	30000	13000	0.07 J	0.035 ป

Field	Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field San	nple Location:	MW-21	MW-21	MW-22	MW-22	MW-22 .	MW-23	MW-24
Sa	mple interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sample Co	ollection Date:	04/29/2003	09/24/2003	05/14/2002	08/06/2002	09/24/2003	09/11/2001	12/06/2000
Field Sample	Identification:	03CB08-09	03CB14-43	02CB14-13	02CB18-49	03CB14-45	01CB28-20	01CB01-55
Laboratory Sample	Identification:	18483-001	19267-014	02052485-26	02081571-16	19267-003	913080-023	201206501
Semivolatiles NAPHTHALENE PENTACHLOROPHENOL	Units ug/L ug/L	7.4 UJ 0.15	1 U 0.063 J	5 U 0.12	5 U 0.078	1 U 0.34	0.24 U 0.49	5.9 U 123 B

Field S	te identifier:	PENTA						
Field Samp	ole Location:	MW-24	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
San	pie Interval:	N/A						
	Matrix:	Water						
Sample Col	lection Date:	04/24/2001	12/06/2000	01/10/2001	04/24/2001	06/18/2001	09/10/2001	05/14/2002
Field Sample Id	ientification:	01CB07-68	01CB01-53	01CB01-60	01CB07-66	01CB08-67	01CB28-10	02CB14-15
Laboratory Sample Id	dentification:	210420905	201205801	210107204	210420907	210611202	913080-016	02052485-19
Semivolatiles	Units							
NAPHTHALENE	ug/L	5.3 R	5 U	NA	5.4 U	5 U	0.24 U	5 U
PENTACHLOROPHENOL	ug/L	0.11	· 118	0.1 U	0.1 U	1 UJ	0.16 J	0.1

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26	MW-26FIL
	Sample Interval:	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water
•	Sample Collection Date:	08/05/2002	04/29/2003	09/23/2003	01/10/2001
	Field Sample Identification:	02CB18-01	03CB08-11	03CB14-47	01CB01-62W
I	aboratory Sample Identification:	02081571-3	18483-004	19255-006	210107202
Semivolatiles	Units	F.11	5 411	4.11	.14
NAPHTHALENE PENTACHLOROPHENO	ug/L DL ug/L	5 U 0.03 J	7.1 U 0.1 U	1 บ 0.11 U	NA 1.6

Field Site Identifier: PENTA

Field Sample Location: MW-26

Sample Interval: N/A

Matrix: Water

Sample Collection Date: 09/23/2003

Field Sample Identification: 03CB14-47

Laboratory Sample Identification: 19255-006

Volatiles Units

 BENZENE
 ug/L
 0.25 UJ

 ETHYLBENZENE
 ug/L
 2.5 UJ

 TOLUENE
 ug/L
 2.5 UJ

 XYLENES (TOTAL)
 ug/L
 2.5 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	12/06/2000	04/24/2001	06/18/2001	09/10/2001	05/14/2002	08/05/2002	04/29/2003
	Field Sample Identification:	01CB01-53	01CB07-66	01CB08-67	01CB28-10	02CB14-15	02GB18-01	03CB08-11
	Laboratory Sample Identification:	201205801	210420907	210611202	913080-016	02052485-19	02081571-3	18483-004
Volatiles	Units							
BENZENE	ug/L	0.1 Ų	0.1 U	0.1 U	0.44 U	1 UJ	1 U	0.5 U
ETHYLBENZENE	ug/L	1 U	1 U	1 U	0.5 U	5 U	5 U	5 U
TOLUENE	ug/L	1 U	1 U	1 U	0.4 U	5 U	5 U	5 U
XYLENES (TOTAL)	ug/L	1 U	1 U	1 U	1.2 U	5 U	5 U	5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-21	MW-22	MW-22	MW-22	MW-23	MW-24	MW-24
	Sample Interval:	N/A	N/A	Ň/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/24/2003	05/14/2002	08/06/2002	09/24/2003	09/11/2001	12/06/2000	04/24/2001
	Field Sample Identification:	03CB14-43	02CB14-13	02CB18-49	03CB14-45	01CB28-20	01CB01-55	01CB07-68
	Laboratory Sample Identification:	19267-014	02052485-26	02081571-16	19267-003	913080-023	201206501	210420905
Volatiles	Units							
BENZENE	ug/L	0.25 UJ	1 UJ	1 U	0.25 UJ	0.44 U	0.1 U	0.1 U
ETHYLBENZENE	ug/L	2.5 UJ	5 U	5 U	2.5 UJ	0.5 U	1 U	1 U
TOLUENE	ug/L	2.5 ŲJ	5 U	5 U	2.5 UJ	0.4 U	0.29 J	1 U
XYLENES (TOTAL)	ug/L	2.5 UJ	5 U	5 U	2.5 UJ	1.2 U	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-20	MW-20	MW-20	MW-20	MW-21	MW-21	MW-21
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	· Water	Water	Water	Water	Water ·
	Sample Collection Date:	04/26/2001	09/12/2001	08/07/2002	09/25/2003	05/14/2002	08/06/2002	04/29/2003
	Field Sample Identification:	01CB08-08	01CB28-37	02CB18-45	03CB14-41	02CB14-11	02CB18-47	03CB08-09
	Laboratory Sample Identification:	210423407	913080-005	02081836-3	19274-019	02052485-3	02081571-21	18483-001
Volatiles	Units							
BENZENE	ug/L	1 R	0.44 U	1 U	1 UJ	1 UJ	1 U	0.5 U
ETHYLBENZENE	ug/L	100 U	3.4 U	12	10 UJ	5 U	5 U	5 U
TOLUENE	ug/L	NA	4.1 U	9	10 UJ	5 U	5 U	5 U
XYLENES (TOTAL)	ug/L	NA	37	120	60.9 J	5 U	5 U	5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19
	Sample interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/07/2000	04/26/2001	09/12/2001	05/13/2002	08/08/2002	04/29/2003	09/25/2003
	Field Sample Identification:	00CB09-19	01CB08-15	01CB28-38	02CB14-09	02CB18-43	03CB08-07	03CB14-39
	Laboratory Sample Identification:	200405111	210423409	913080-010	02052485-6	02081836-14	18483-012	19274-017
Volatiles	Units							
BENZENE	ug/L	0.1 U	1 R	0.44 U	1 UJ	1 U	500 U	1 UJ
ETHYLBENZENE	ug/L	1.3	10 R	1,9 U	2 J	2 J	5000 U	10 UJ
TOLUENE	ug/L	0.6 J	NA	1.7 U	1 J	1 J	5000 U	10 UJ
XYLENES (TOTAL)	ug/L	12	NA	28	31	29	5000 U	46.6 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-16	MW-17	MW-17	MW-17	MW∮17	MW-17	MW-18
	Sample Interval:	N/A	N/A	N/A	N/A	N/Å	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/23/2003	04/06/2000	04/26/2001	09/11/2001	08/08/2002	09/25/2003	06/19/2001
	Field Sample Identification:	03CB14-35	00CB09-17	01CB08-01	01CB28-24	02CB18-39	03CB14-37	01CB08-71
	Laboratory Sample Identification:	19255-016	200405107	210423411	913080-028	02081571-46	19274-015	210613203
Volatiles	Units		•					
BENZENE	ug/L	0.25 UJ	0.1 U	0.1 U	0.44 U	1 U	0.25 UJ	1.1
ETHYLBENZENE	ug/L	2.5 UJ	1 U	1 U	0.5 U	5 U	2.5 UJ	14
TOLUENE	ug/L	2.5 UJ	1 U	1 U	0.4 U	5 U	2.5 UJ	10 U
XYLENES (TOTAL)	ug/L	2.5 UJ	1 U	1 U	1.2 U	5 U	2.5 UJ	20

	Fleld Site Identifler:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-15	MW-15	MW-15	MW-16	MW-16	MW-16	MW-16
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/12/2001	08/06/2002	09/23/2003	04/06/2000	04/23/2001	09/10/2001	08/06/2002
	Field Sample Identification:	01CB28-35	02CB18-35	03CB14-33	00CB09-16	01CB07-58	01CB28-16	02CB18-37
	Laboratory Sample Identification:	913080-002	02081571-24	19255-003	200405114	210419510	913080-019	02081571-19
Volatiles	Units							
BENZENE	ug/L	0.44 U	1 U	0.25 UJ	0.1 U	0.1 U	0.44 U	1 U
ETHYLBENZENE	ug/L	0.5 U	5 U	2.5 UJ	1 U	1 U	0.5 U	5 U
TOLUENE	ug/L	0.4 U	5 U	2.5 UJ	1 U	1 U	0.4 U	5 U
XYLENES (TOTAL)	ug/L	1.2 U	5 U	2.5 UJ	1 U	1 U	1.2 U	5 U

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-13	MW-13	MW-13	MW-14	MW-14	MW-15	MW-15
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	09/10/2001	08/05/2002	09/23/2003	04/06/2000	06/19/2001	04/04/2000	04/25/2001
	Field Sample Identification;	01CB28-13	02CB18-03	03CB14-31	00CB09-14	01CB08-70	00CB09-15	01CB07-70
	Laboratory Sample Identification:	913080-014	02081571-6	19255-001	200405101	210613202	200402503	210422701
Volatiles	Units							
BENZENE	ug/L	0.44 U	1 U	0.25 UJ	0.1 U	0.1 U	0.1 U	0.1 U
ETHYLBENZENE	ug/L	0.5 U	5 U	2.5 UJ	1 U	1 U	1 U	1 U
TOLUENE	ug/L	0.4 U	5 U	2.5 UJ	1 U	1 U	1 U	1 U
XYLENES (TOTAL)	ug/L	1.2 U	5 U	2.5 UJ	1 U	1 U	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-12	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A .	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/08/2002	04/29/2003	09/23/2003	04/05/2000	12/05/2000	04/23/2001	06/19/2001
	Field Sample Identification:	02CB18-33	03CB08-05	03CB14-29	00CB09-13	01CB01-52	01CB07-44	01CB08-69
	Laboratory Sample Identification:	02081836-12	18483-018	19255-021	200403805	201202701	210419508	210613201
Volatiles	Units							
BENZENE	ug/L	1 U	0.5 ປ	0.25 UJ	0.15 U	0.1 U	0.1 U	0.12
ETHYLBENZENE	ug/L	2 J	1.3 J	2.5 UJ	1 U	1 U	1 U	1 U
TOLUENE	ug/L	2 J	1.3 J	2.5 UJ	1 U	1 U	1 U	1 U
XYLENES (TOTAL)	ug/L	15	11	8.6 J	1 ሆ	1 ប	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-11	MW-11	MW-11	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water.
	Sample Collection Date:	09/10/2001	08/06/2002	09/23/2003	04/06/2000	04/26/2001	09/13/2001	05/14/2002
•	Field Sample Identification:	01CB28-12	02CB18-31	03CB14-27	00CB09-12	01CB08-03	01CB28-45	02CB14-07
	Laboratory Sample Identification:	913080-013	02081571-14	19255-014	200405103	210423413	913103-005	02052485-9
Volatiles	Units							
BENZENE	ug/L	0.44 U	1 U	0.25 UJ	0.28	0.34	0.44 U	1 UJ
ETHYLBENZENE	ug/L	0.5 U	5 U	2.5 UJ	2.8	2.5	2.3 U	2 J
TOLUENE	ug/L	0.4 U	5 U	2.5 UJ	3.6	4.1	3.2 U	2 J
XYLENES (TOTAL)	ug/L	1.2 U	5 U	2.5 UJ	22	22	20	15

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-10S	MW-10S	MW-10S	MW-10S	MW-10S	MW-11	MW-11
	Sample interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	12/05/2000	04/25/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/24/2001
	Field Sample Identification:	01CB01-44	01CB07-85	01CB28-33	02CB18-29	03CB14-25	00CB09-11	01CB07-76
	Laboratory Sample Identification:	201202302	210422711	913080-008	02081836-5	19274-007	200402509	210420916
Volatiles	Units							
BENZENE	ug/L	0.1 U	10 U	0.44 U	1 U	0.25 UJ	0.1 U	0.1 U
ETHYLBENZENE	ug/L	5.9	100 U	0.94 J	1 J	2.5 UJ	1 U	1 U
TOLUENE	ug/L	2.9	NA	0.41 J	5 U	2.5 UJ	1 U	1 U
XYLENES (TOTAL)	ug/L	70	NA	15	10	3.4 J	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA :
•	Field Sample Location:	MW-09	MW-10	MW-10	MW-10	MW-10	MW-10	MW-105
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	09/25/2003	04/06/2000	04/26/2001	09/12/2001	08/07/2002	10/01/2003	04/07/2000
	Field Sample Identification:	03CB14-21	00CB09-10	01CB07-97	01CB28-32	02CB18-27	03CB14-23	00CB09-18
	Laboratory Sample Identification:	19274-011	200405118	210423401	913080-007	02081836-1	19309-001	200405109
Volatiles	Units							
BENZENE	ug/L	0.25 UJ	0.35	0.4	0.44 U	1 U	0.25 U	0.1 ป
ETHYLBENZENE	ug/L	2.5 UJ	4.4	3.3	6.3	7	2,5 U	6.5
TOLUENE	ug/L	2.5 UJ	6.4	5.3	10	11	2.5 U	4.2
XYLENES (TOTAL)	ug/L	2.5 UJ	34	27	55	54	13.5	64

	Fleid Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-08	MW-08	MW-08	MW-09	MW-09	MW-09	MW-09
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/11/2001	08/08/2002	09/25/2003	04/05/2000	04/23/2001	09/12/2001	08/06/2002
	Field Sample Identification:	01CB28-18	02CB18-23	03CB14-19	00CB09-09	01CB07-46	01CB28-36	02CB18-25
	Laboratory Sample Identification:	913080-035	02081571-38	19274-003	200403803	210419501	913080-004	02081571-11
Volatiles	Units							
BENZENE	ug/L	0.44 U	1 U	0.25 UJ	0.15 U	0.1 U	0.44 U	1 U
ETHYLBENZENE	ug/L	0.5 U	5 U	2.5 UJ	1 U	1 U	0.5 U	5 U
TOLUENE	ug/L	0.4 U	5 U	2.5 UJ	1 U	1 U	0.4 U	5 U
XYLENES (TOTAL)	ug/L	1.2 U	5 U	2.5 UJ	1 U	1 U	1.2 U	5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-07	MW-07	MW-07	MW-08	MW-08
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/04/2000	04/25/2001	09/11/2001	08/07/2002	09/24/2003	04/05/2000	04/25/2001
	Field Sample Identification:	00CB09-07	01CB07-87	01CB28-22	02CB18-21	03CB14-17	00CB09-08	01CB07-93
	Laboratory Sample Identification:	200402505	210422708	913080-026	02081571-32	19267-007	200403807	210422715
Volatiles	Units							
BENZENE	ug/L	0.1 U	0.1 U	0.44 U	1 U	0.25 UJ	0.15 U	0.1 U
ETHYLBENZENE	ug/L	1 U	1 U	0.5 U	5 U	2.5 UJ	1 U	1 U
TOLUENE	ug/L	1 U	1 U	0.4 U	5 U	2.5 UJ	1 U	1 U
XYLENES (TOTAL)	ug/L	1 U	1 U	1.2 U	5 U	2.5 UJ	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-05	MW-05	MW-06S	MW-06S	MW-06S	MW-06S	MW-06S
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/25/2003	04/07/2000	04/26/2001	09/12/2001	08/07/2002	09/25/2003
	Field Sample Identification:	02CB18-17	03CB14-13	00CB09-06	01CB08-11	01CB28-34	02CB18-19	03CB14-15
	Laboratory Sample Identification:	02081836-7	19274-009	200405113	210423404	913080-001	02081836-10	19274-005
Volatiles	Units							
BENZENĖ	ug/L	1 U	0.25 UJ	0.1 U	0.1 U	0.44 U	1 U	0.25 UJ
ETHYLBENZENE	ug/L	5 U	2.5 UJ	1 U	1 U	0.5 U	5 U	2.5 UJ
TOLUENE	ug/L	5 U	2.5 UJ	1 U	1 U	0.4 U	5 U	2.5 UJ
XYLENES (TOTAL)	ug/L	5 U	2.5 UJ	1 U	1 U	1.2 U	5 U	2.5 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-03	MW-03	MW-03	MW-04	MW-d5	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	. Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/13/2001	08/07/2002	09/23/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001
	Field Sample Identification:	01CB28-44	02CB18-15	03CB14-11	00CB09-04	00CB09-05	01CB08-05	01CB28-46
	Laboratory Sample Identification:	913103-001	02081571-35	19255-008	200402511	200405120	210423416	913103-006
Volatiles	Units							
BENZENE	· ug/L	0.44 U	1 U	0.25 UJ	0.1 U	0.33	0.22	0.44 U
ETHYLBENZENE	ug/L	0.5 U	5 U	2.5 UJ	1 U	3.6	0.84 ป	0.54 J
TOLUENE	ug/L	0.4 U	5 U	2.5 UJ	1 U	3	1.8	0.78 J
XYLENES (TOTAL)	ug/L	1.2 U	5 U	2.5 UJ	1 U	15	8.1	4.3

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-02	MW-02	MW-02	MW-02	MW-02	MW-03	MW-03
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/05/2000	06/18/2001	09/12/2001	08/06/2002	09/24/2003	04/04/2000	04/25/2001
	Field Sample Identification:	00CB09-02	01CB08-66	01CB28-39	02GB18-13	03CB14-09	00CB09-03	01CB07-83
	Laboratory Sample Identification:	200403810	210611201	913080-011	02081571-9	19267-009	200402501	210422706
Volatiles	Units							
BENZENE	ug/L	0.15 U	0.1 U	0.44 U	1 U	0.25 UJ	0.1 U	0.1 U
ETHYLBENZENE	ug/L	1 U	1 U	0.5 U	5 U	2.5 UJ	1 U	1 U
TOLUENE	ug/L	1 U	1 U	0.4 U	5 U	2.5 UJ	1 U	0.46 J
XYLENES (TOTAL)	ug/L	1 U	1 U	1.2 U	5 U	2.5 UJ	1 U	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA,
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01:
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-64	01CB28-21	02CB14-05	02CB18-09	03CB08-03	03CB14-05
	Laboratory Sample Identification:	200403802	210420901	913080-024	02052485-24	02081571-27	18483-010	19267-005
Volatiles	Units							
BENZENE	ug/L	0.15 U	0.1 U	0.44 U	1 UJ	1 U	0.5 U	0.25 UJ
ETHYLBENZENE	ug/L	1 U	1 U	0.5 U	5 U	5 U	5 U	2.5 UJ
TOLUENE	ug/L	1 U	1 U	0.4 U	5 U	5 U	5 U	2.5 UJ
XYLENES (TOTAL)	ug/L	1 U	1 U	1.2 U	5 U	5 U	5 U	2.5 UJ

		l .				
	Field Site Identifier:	01	01	01	01	01
	Fleid Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	. N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
•	Field Sample Identification:	04CB05-04	04CB05-07	04CB05-08	04ČB05-09	04CB05-10
Labora	atory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Semivolatiles	Units					
PENTACHLOROPHENOL	ug/l	1.06 J	11200 J	70000 J	0.135 UB	0.242 UB

	Field Site Identifier:	01	01	01	01	01
	Field Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Fleid Sample Identification:	04CB05-04	04CB05-07	04CB05-08	04CB05-09	04CB05-10
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Volatiles	Units					
ETHYLBENZENE	ug/l	5.00 U	1.39 J	2.13 J	5.00 U	5.00 U
TOLUENE	ug/l	5.00 U	1.03 J	1.98 J	5.00 U	5.00 U
BENZENE	ug/l	0.500 U	0.124 J	2.50 U	0.500 U	0.500 U
NAPHTHALENE	ug/l	5.00 U	22.9	201	5.00 U	5.00 U
XYLENES, TOTAL	ug/l	5.00 U	11.2	30.0	5.00 U	5.00 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-64	01CB28-21	02CB14-05	02CB18-09	03CB08-03	03CB14-05
	Laboratory Sample Identification:	200403802	210420901	913080-024	0205385-06A	02081571-27	18483-010	19267-005
Diss Gases Methane	Units ug/L	0.267	· 0.11 U	10 U	10 UJ	0.01 U	0.5 U	0.5 U

	Field Site Identifier:	01	01	01	01	01
	Field Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Field Sample Identification:	04CB05-04	04CB05-07	04CB05-08	04CB05-09	04CB05-10
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Diss Gases	Units					
METHANE	ug/l	0.863 J	1.34 J	1.13 J	10.0 U	10.0 U

	Field Site Identifier: Field Sample Location:	PENTA MW-02	PENTA MW-02	PENTA MW-02	PENTA MW-02	PENTA MW-02	PENTA MW-03	PENTA MW-03
	Sample Interval: Matrix:	N/A Water						
	Sample Collection Date: Field Sample Identification:	04/05/2000 00CB09-02	06/18/2001 01CB08-66	09/12/2001 01CB28-39	08/06/2002 02CB18-13	09/24/2003 03CB14-09	04/04/2000 00CB09-03	09/13/2001 01CB28-44
	Laboratory Sample Identification:	200403810	210611201	913080-011	02081571-9	19267-009	200402501	913103-001
Diss Gases METHANE	Units ug/L	0.261	0.14 J	10 U	0.01 U	0.5 U	1.646	10 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-03	MW-03	MW-04	MW-05	MW-05	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/23/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001	09/25/2003
	Field Sample Identification:	02CB18-15	03CB14-11	00CB09-04	00CB09-05	01CB08-05	01CB28-46	03CB14-13
	Laboratory Sample Identification:	02081571-35	19255-008	200402511	200405120	210423416	913103-006	19274-009
Diss Gases METHANE	Units ug/L	0.01 U	2.5	0.811	0.936	0.4 J	10 U	0.47 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-06S	MW-06S	MW-06S	MW-06S	MW-07	MW-07	MW-07
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/26/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/25/2001	09/11/2001
	Field Sample Identification:	01CB08-11	01CB28-34	02CB18-19	03CB14-15	00CB09-07	01CB07-87	01CB28-22
	Laboratory Sample Identification:	210423404	913080-001	02081836-10	19274-005	200402505	210422708	913080-026
Diss Gases METHANE	Units ug/L	0.12 U	10 U	0.27	130	4.041	4.65	12

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-08	MW-08	MW-08	MW-08	80-WM
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/24/2003	04/05/2000	04/25/2001	09/11/2001	08/08/2002	09/25/2003
	Field Sample Identification:	02CB18-21	03CB14-17	00CB09-08	01CB07-93	01CB28-18	02CB18-23	03CB14-19
	Laboratory Sample Identification:	02081571-32	19267-007	200403807	210422715	913080-035	02081571-38	19274-003
Diss Gases METHANE	Units ug/L	0.01 U	4.9	7.194	11.6	10 U	0.01 U	9.2

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-09	MW-09	MW-09	MW-09	MW-09	MW-10	MW-10
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/23/2001	09/12/2001	08/06/2002	09/25/2003	04/06/2000	04/26/2001
	Field Sample Identification:	00CB09-09	01CB07-46	01CB28-36	02CB18-25	03CB14-21	00CB09-10	01CB07-97
	Laboratory Sample Identification:	200403803	210419501	913080-004	02081571-11	19274-011	200405118	210423401
Diss Gases METHANE	Units ug/L	0.396	0.12 U	10 U	0.01 U	0.5 U	3.067	2.9

	Field Site Identifler:	PENTA						
	Field Sample Location:	MW-10	MW-10	MW-10	MW-10S	MW-10S	MW-10S	MW-10S
	Sample Interval:	N/A	N/A	N/A :	N/A	N/A	N/A	N/A
	Matrix:	Water						
	Sample Collection Date:	09/12/2001	08/07/2002	10/01/2003	04/07/2000	12/05/2000	04/25/2001	09/12/2001
	Field Sample Identification:	01CB28-32	02CB18-27	03CB14-23	00CB09-18	01CB01-44	01CB07-85	01CB28-33
	Laboratory Sample identification:	913080-007	02081836-1	19309-001	200405109	201202302	210422711	913080-008
Diss Gases METHANE	Units ug/L	10 U	0.011	0.62	1.567	0.57	0.55 J	10 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-10S	MW-10S	. MW-11	MW-11	MW-1j	MW-11	MW-11
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/25/2003	04/04/2000	04/24/2001	09/10/2001	08/06/2002	09/23/2003
	Field Sample Identification:	02CB18-29	03CB14-25	00CB09-11	01CB07-76	01CB28-12	02CB18-31	03CB14-27
	Laboratory Sample Identification:	02081836-5	19274-007	200402509	210420916	913080-013	02081571-14	19255-014
Diss Gases	Units							
METHANE	ug/L	0.01 U	0.5 U	0.138	0.11 U	10 U	0.01 U	0.5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Fleid Sample Location:	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	04/26/2001	09/13/2001	05/14/2002	08/08/2002	04/29/2003	09/23/2003
	Field Sample Identification:	00CB09-12	01CB08-03	01CB28-45	02CB14-07	02CB18-33	03CB08-05	03CB14-29
	Laboratory Sample identification:	200405103	210423413	913103-005	0205385-04A	02081836-12	18483-018	19255-021
Diss Gases METHANE	Units ug/L	1.553	0.99	10 U	10 UJ	0.01 U	0.5 U	0.49 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13
	Sample Interval:	N/A	N/A	N/A	N/A	N/A ¹	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	12/05/2000	04/23/2001	06/19/2001	09/10/2001	08/05/2002	09/23/2003
	Field Sample Identification:	00CB09-13	01CB01-52	01CB07-44	01CB08-69	01CB28-13	02CB18-03	03CB14-31
	Laboratory Sample Identification:	200403805	201202701	210419508	210613201	913080-014	02081571-6	19255-001
Diss Gases METHANE	Units ug/L	0.291	0.58 U	0.12 U	0.12 U	10 U	0.01 U	0.5 U

·	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-14	MW-14	MW-15	MW-15	MW-15	MW-15	MW-15
	Sample Interval:	N/A	N/A	N/A	N/A	N/Å	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	06/19/2001	04/04/2000	04/25/2001	09/12/2001	08/06/2002	09/23/2003
	Field Sample Identification:	00CB09-14	01CB08-70	00CB09-15	01CB07-70	01CB28-35	02CB18-35	03CB14-33
	Laboratory Sample Identification:	200405101	210613202	200402503	210422701	913080-002	02081571-24	19255-003
Diss Gases METHANE	Units ug/L	0.159	0.11 U	0.339	0.1 U	10 U	0.01 U	0.5 U

	Fleid Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-16	MW-16	MW-16	MW-16	MW-16	MW-17	MW-17
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	04/23/2001	09/10/2001	08/06/2002	09/23/2003	04/06/2000	04/26/2001
	Field Sample Identification:	00CB09-16	01CB07-58	01CB28-16	02CB18-37	03CB14-35	00CB09-17	01CB08-01
	Laboratory Sample Identification:	200405114	210419510	913080-019	02081571-19	19255-016	200405107	210423411
Diss Gases	Units	1 068	n 12 I I	1011	0.0111	0511	0 127	0.1211
Diss Gases METHANE	Units ug/L	1.068	0.12 U	10 U	0.01 U	0.5 U	0.127	0.12 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-17	MW-17	MW-17	MW-18	MW-19	MW-19	MW-19
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/11/2001	08/08/2002	09/25/2003	06/19/2001	04/07/2000	04/26/2001	09/12/2001
	Field Sample Identification:	01CB28-24	02CB18-39	03CB14-37	01CB08-71	00CB09-19	01CB08-15	01CB28-38
	Laboratory Sample Identification:	913080-028	02081571-46	19274-015	210613203	200405111	210423409	913080-010
Diss Gases	Units	ăo II	0.04.11	. 0.511	0.4011	0.070	0.5	16
METHANE	ug/L	10. U	0.01 U	0.5 U	0.13 U	0.272	0.5	16

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-19	MW-19	MW-19	MW-19	MW 20	MW-20	MW-20
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	05/13/2002	08/08/2002	04/29/2003	09/25/2003	04/26/2001	09/12/2001	08/07/2002
	Field Sample identification:	02CB14-09	02CB18-43	03CB08-07	03CB14-39	01CB08-08	01CB28-37	02CB18-45
	Laboratory Sample Identification:	0205385-03A	02081836-14	18483-012	19274-017	210423407	913080-005	02081836-3
Diss Gases METHANE	Units ug/L	10 UJ	0.01 U	2.4	5.7	2.73	10 U	0.01 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-20	MW-21	MW-21	MW-21	MW-22	MW-22	MW-22
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/25/2003	05/14/2002	04/29/2003	09/24/2003	05/14/2002	08/06/2002	09/24/2003
	Field Sample Identification:	03CB14-41	02CB14-11	03CB08-09	03CB14-43	02CB14-13	02CB18-49	03CB14-45
	Laboratory Sample Identification:	19274-019	0205385-02A	18483-001	19267-014	0205385-07A	02081571-16	19267-003
Diss Gases METHANE	Units ug/L	5.4	. 10 UJ	0.5 U	0.5 U	10 UJ	0.01 U	0.5 U

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-23	MW-24	MW-24	MW-26	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/Å	N/A	N/A
	Matrix:	Water						
	Sample Collection Date:	09/11/2001	12/06/2000	04/24/2001	12/06/2000	04/24/2001	06/18/2001	09/10/2001
	Field Sample Identification:	01CB28-20	01CB01-55	01CB07-68	01CB01-53	01CB07-66	01CB08-67	01CB28-10
	Laboratory Sample Identification:	913080-023	201206501	210420905	201205801	210420907	210611202	913080-016
Diss Gases METHANE	Units	10 U	0.53 U	0.1 U	0.6511	0.1 ບ	0.1 U	10 U
METUNIAE	ug/L	10 0	0,55 0	0.10	0.65 ป	0.10	0.10	10 0

	Field Site Identifier:	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A
	Matrix:	Water	Water	Water
	Sample Collection Date:	08/05/2002	04/29/2003	09/23/2003
	Field Sample Identification:	02CB18-01	03CB08-11	03CB14-47
	Laboratory Sample Identification:	02081571-3	18483-004	19255-006
Diss Gases	Units			
METHANE	ug/L	0.01 U	0.5 U	0.5 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-64	01CB28-21	02CB14-05	02CB18-09	03CB08-03	03CB14-05
	Laboratory Sample Identification:	200403802	210420901	913080-024	02052485-24	02081571-27	18483-010	19267-005
Total Metals	Units							
IRON	mg/L	5670	9830	4000 J	2700	1700	3.16 J	7
MANGANESE	mg/L	NA	642	450 J	247	180 J	0.217 J	0.416
ZINC	mg/L	10.6	16 J	20 J	8.1 J	5.8 J	0.01 UJ	0.02 J
ARSENIC	mg/L	2.4	2.4	1.3 J	1.4 U	1.4 UJ	0.001 U	0.001 J
COPPER	mg/L	23.9	33	25 J	12.1 J	7.6	0.014 J	0.021

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-02	MW-02	MW-02	MW-02	MW-02	MW-03	E0-WM
	Sample Interval:	N/A	N/A	N/A · •	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water:
	Sample Collection Date:	04/05/2000	06/18/2001	09/12/2001	08/06/2002	09/24/2003	04/04/2000	04/25/2001
	Field Sample Identification:	00CB09-02	01CB08-66	01CB28-39	02CB18-13	03CB14-09	00CB09-03	01CB07-83
	Laboratory Sample Identification:	200403810	210611201	913080-011	02081571-9	19267-009	200402501	210422706
Total Metals	Units				:			
IRON	mg/L	21700	39900	29000 J	10000	41.3	719	147
MANGANESE	mg/L	NA	1230	1200 J	420 J	1.18	NA	7.3 J
ZINC	mg/L	33.7	64	69 J	26	80.0	10 U	25 U
ARSENIC	mg/L	2.1 U	6.7	3.9 J	6.4 J	0.008	2.1 U	1 U
COPPER	mg/L	64.2	109	110 J	30	0.1	5 U	25 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-03	MW-03	MW-03	MW-04	MW-05	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/13/2001	08/07/2002	09/23/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001
	Field Sample Identification:	01CB28-44	02CB18-15	03CB14-11	00CB09-04	00CB09-05	01CB08-05	01CB28-46
	Laboratory Sample Identification:	913103-001	02081571-35	19255-008	200402511	200405120	210423416	913103-006
Total Metals	Units							
IRON	mg/L	2400 J	480	0.15	1040	17500	20400	26000 J
MANGANESE	mg/L	31 J	15 J	0.05 U	NA	NA	11200	8500 J
ZINC	mg/L	3.7 U	1,4 J	0.01 U	10 U	10 U	25 U	4.2 J
ARSENIC	mg/L	0.35 J	1.7 J	0.001 U	2.1 U	4.9	5.6	8.2 J
COPPER	mg/L	2.2 UJ	2.3 J	0.001 J	5 U	142.8	74	100 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-05	MW-05	MW-06S	MW-06S	MW-06S	MW-06S	MW-07
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/25/2003	04/26/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000
	Field Sample Identification:	02CB18-17	03CB14-13	01CB08-11	01CB28-34	02CB18-19	03CB14-15	00CB09-07
	Laboratory Sample Identification:	02081836-7	19274-009	210423404	913080-001	02081836-10	19274-005	200402505
Total Metals	Units							
IRON	mg/L	34500	35.1 J	82800	42000 J	7570	5.9 J	505
MANGANESE	mg/L	8130	9.45	1950	1900 J	2210	1.19	NA
ZINC	mg/L	104	0.02 J	131	110 J	18.3	0.01 J	47.5
ARSENIC	mg/L	4.1	0.004 J	15	7.4 J	5.5	0.001 J	2.1 U
COPPER	mg/L	28	0.05	202	190 J	69.1	0.022	5 U

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-07	MW-07	MW-08	80-WM	MW-08
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/25/2001	09/11/2001	08/07/2002	09/24/2003	04/05/2000	04/25/2001	09/11/2001
	Field Sample Identification:	01CB07-87	01CB28-22	02CB18-21	03CB14-17	00CB09-08	01CB07-93	01CB28-18
	Laboratory Sample Identification:	2104227.08	913080-026	02081571-32	19267-007	200403807	210422715	913080-035
Total Metals	Units							
IRON	mg/L	352	560	730	0.28	1040	829	350
MANGANESE	mg/L	5.4 J	6.4 J	6.5 J	0.006 J	NA	32	19 J
ZINC	mg/L	25 U	3.7 UJ	2.8 J	0.01 U	473	25 U	3.7 UJ
ARSENIC	mg/L	1 U	0.4 J	1.5 J	0.001 U	2.1 U	0.99 J	1.2 J
COPPER	mg/L	25 U	2.2 UJ	0.3 UJ	0.001 U	5 U	25 U	2.2 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-08	MW-08	MW-09	MW-09	MW-09	MW-09	MW-09
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/08/2002	09/25/2003	04/05/2000	04/23/2001	09/12/2001 .	08/06/2002	09/25/2003
	Field Sample Identification:	02CB18-23	03CB14-19	00CB09-09	01CB07-46	01CB28-36	02CB18-25	03CB14-21
	Laboratory Sample Identification:	02081571-38	19274-003	200403803	210419501	913080-004	02081571-11	19274-011
Total Metals	Units							
IRON	mg/L	98	0.24 J	757	470	300	200	7.4 J
MANGANESE	mg/L	6.4 J	0.008 J	NA	46	27 J	14 J	0.229
ZINC	mg/L	. 12	0.01 U	10 U	25 U	11 J	6.4 J	0.02 J
ARSENIC	mg/L	1.4 UJ	0.001 U	2.1 U	0.38 J	0.43 J	1.4 UJ	0.001 J
COPPER	ma/L	0.3 UJ	0.001 U	6.8	25 U	6.1 J	1.6 J	0.02

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-10	MW-10	MW-10	MW-10	MW-10	MW-10S	MW-10S
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/06/2000	04/26/2001	09/12/2001	08/07/2002	10/01/2003	04/07/2000	12/05/2000
	Field Sample Identification:	00CB09-10	01CB07-97	01CB28-32	02CB18-27	03CB14-23	00CB09-18	01CB01-44
	Laboratory Sample Identification:	200405118	210423401	913080-007	02081836-1	19309-001	200405109	201202302
Total Metals	Units							
IRON	mg/L	3530	25200	20000 J	24400	5.47	32800	11000
MANGANESE	mg/L	NA	2560	3300 J	2730	1.96	NA	7100
ZINC	mg/L	10 U	44	13 J	2.8 UB	0.02 J	73	35
ARSENIC	mg/L	2.1 U	3.1	4.5 J	9.5	0.002 J	5.3	9.36
COPPER	mg/L	12	98	40 J	48.2	0.03	199.2	160

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENŢA	PENTA	PENTA
	Field Sample Location:	MW-10S	MW-10S	MW-10S	MW-10S	MW-∮1	MW-11	MW-11
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/25/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/24/2001	09/10/2001
	Field Sample Identification:	01CB07-85	01CB28-33	02CB18-29	03CB14-25	00CB09-11	01CB07-76	01CB28-12
	Laboratory Sample Identification:	210422711	913080-008	02081836-5	19274-007	200402509	210420916	913080-013
Total Metals	Units							
IRON	mg/L	131000	35000 J	9490	1.76 J	351	151	66 J
MANGANESE	mg/L	7990	8600 J	7560	5.91	NA	15 U	1.9 J
ZINC	mg/L	216	100 J	22.4	0.01 U	16.4	126	9.1 J
ARSENIC	mg/L	18	5.1 J	3.9	0.001 U	2.1 U	1.4	1.4 J
COPPER	mg/L	409	170 J	53.3	0.007 J	5.6	25 U	2.9 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-11	MW-11	MW-12	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/26/2001	09/13/2001	05/14/2002	08/08/2002
	Fleid Sample Identification:	02CB18-31	03CB14-27	00CB09-12	01CB08-03	01CB28-45	02CB14-07	02CB18-33
	Laboratory Sample Identification:	02081571-14	19255-014	200405103	210423413	913103-005	02052485-9	02081836-12
Total Metals IRON MANGANESE ZINC ARSENIC COPPER	Units mg/L mg/L mg/L mg/L mg/L	46 2.3 J 6.4 J 4.7 J 0.83 J	0.16 0.005 U 0.02 U 0.001 U 0.002	222 NA 10 U 2.1 U 9.4	151 1540 25 U 1 J 25 U	770 J 1300 J 9.3 J 1.1 J 5 J	67.6 1670 14.1 J 2 J 5.3 J	123 1620 7.7 2.8 5.6

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13	MW-13
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/29/2003	09/23/2003	04/05/2000	12/05/2000	04/23/2001	06/19/2001	09/10/2001
	Field Sample Identification:	03CB08-05	03CB14-29	00CB09-13	01CB01-52	01CB07-44	01CB08-69	01CB28-13
	Laboratory Sample Identification:	18483-018	19255-021	200403805	201202701	210419508	210613201	913080-014
Total Metals	Units							
IRON	mg/L	0.23 J	0.07 J	158000	26000	56300	32800	14000 J
MANGANESE	mg/L	1.64 J	1.42	NA	870	1300	- 848	510 J
ZINC	mg/L	0.01 UJ	0.01 U	257	52	89	45	37 J
ARSENIC	mg/L	0.001 J	0.001 U	27	1 U	14	9.1	3.9 J
COPPER	mg/L	0.005 J	0.004	429	92	140	68	49 J

	Field Site Identifier:	PENTA						
	Fleid Sample Location:	MW-13	MW-13	MW-14	MW-14	MW-15	MW-15	MW-15
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	08/05/2002	09/23/2003	04/06/2000	06/19/2001	04/04/2000	04/25/2001	09/12/2001
	Field Sample Identification:	02CB18-03	03CB14-31	00CB09-14	01CB08-70	00CB09-15	01CB07-70	01CB28-35
	Laboratory Sample Identification:	02081571-6	19255-001	200405101	210613202	200402503	210422701	913080-002
Total Metals	Units				•			
IRON	mg/L	19000	24.6	50 U	1070	652	58	63 J
MANGANESE	mg/L	580 J	0.687	NA	57	NA	4.8 J	2.7 J
ZINC	mg/L	39.5	0.05	10 U	25 U	13.9	50	36 J
ARSENIC	mg/L	9.1 J	0.003	2.1 U	2	2.1 U	0.5 J	0.95 J
COPPER	mg/L	55.3	0.055	5 U	5.4 J	7.1	25 U	5.7 J

•	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-15	MW-15	MW-16	MW-16	MW-16	MW-16	MW-16
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/23/2001	09/10/2001	08/06/2002	09/23/2003
	Field Sample Identification:	02CB18-35	03CB14-33	00CB09-16	01CB07-58	01CB28-16	02CB18-37	03CB14-35
	Laboratory Sample Identification:	02081571-24	19255-003	200405114	210419510	913080-019	02081571-19	19255-016
Total Metals	Units			•				
IRON	mg/L	130	0.28	11800	22300	5500 J	6800	7.47
MANGANESE	mg/L	2.8 J	0.009 J	NA	1460	520 J	14 J	0.532
ZINC	mg/L	17	0.01 J	14.1	136	19 J	760	0.01 J
ARSENIC	mg/L	3.7 J	0.001 U	5.4	6.5	1.8 J	3.5 J	0.002 J
COPPER	mg/L	1.6 J	0.001 J	34,6	62	23 J	25	0.018

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-17	MW-17	MW-17	MW-17	MW-17	MW-18	MW-19
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	04/26/2001	09/11/2001	08/08/2002	09/25/2003	06/19/2001	04/07/2000
	Fleld Sample Identification:	00CB09-17	01CB08-01	01CB28-24	02CB18-39	03CB14-37	01CB08-71	00CB09-19
•	Laboratory Sample Identification:	200405107	210423411	913080-028	02081571-46	19274-015	210613203	200405111
Total Metals	Units				÷			
IRON	mg/L	50 U	.33	330 J	11 UJ	0.05 U	15200	28300
MANGANESE	mg/L	NA	15 U	0.27 UJ	0.42 UJ	0.005 U	6540	NA
ZINC	mg/L	10 U	12 J	3.7 U	0.98 U	0.01 U	25 U	48.4
ARSENIC	mg/L	2.1 U	0.6 J	0.94 J	3 J	0.001 U	4.9	3.4
COPPER	mg/L	5 U	25 U	2.2 UJ	0.47 J	0.001 UJ	43	96.8

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19	MW-20
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water,
	Sample Collection Date:	04/26/2001	09/12/2001	05/13/2002	08/08/2002	04/29/2003	09/25/2003	04/26/2001
•	Field Sample Identification:	01CB08-15	01CB28-38	02CB14-09	02CB18-43	03CB08-07	03CB14-39	01CB08-08
	Laboratory Sample Identification:	210423409	913080-010	02052485-6	02081836-14	18483-012	19274-017	210423407
Total Metals	Units							• .
IRON	mg/L	10000	5600 J	108	719	2.03 J	0.95 J	33200
MANGANESE	mg/L	1840	2100 J	2110	3100	3.67 J	2.21 J	3120
ZINC	mg/L	27	53 J	7.3 J	290	0.01 UJ	0.01 U	126
ARSENIC	mg/L	2.2	1.7 J	1.9 J	7 ·	0.002 J	0.001 U	8.2
COPPER	ma/L	38	44 J	12.9 J	30.2	0.024 J	0.027 J	196

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-20	MW-20	MW-20	MW-21	MW-21	MW-21	MW-21
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/12/2001	08/07/2002	09/25/2003	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Fleid Sample Identification:	01CB28-37	02CB18-45	03CB14-41	02CB14-11	02CB18-47	03CB08-09	03CB14-43
	Laboratory Sample Identification:	913080-005	02081836-3	19274-019	02052485-3	02081571-21	18483-001	19267-014
Total Metals	Units							
IRON	mg/L _.	7900 J	4910	7.22 J	14200	10000	3.44 J	68.4
MANGANESE	mg/L	3200 J	3520	3.31	1100	930 J	0.227 J	3.75
ZINC	mg/L	36 J	16.6	0.02 J	50.8	29	0.01 UJ	0.15
ARSENIC	mg/L	3.6 J	8.9	0.002 J	3.7	4.4 J	0.001 U	0.001 U
COPPER	mg/L	81 J	87.4	0.058.J	81.7	50	0.012 J	0.26

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENŢA	PENTA	PENTA
	Field Sample Location:	MW-22	MW-22	MW-22	MW-23	MW-24	MW-24	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	05/14/2002	08/06/2002-	09/24/2003	09/11/2001	12/06/2000	04/24/2001	12/06/2000
	Field Sample Identification:	02CB14-13	02CB18-49	03CB14-45	01CB28-20	01CB01-55	01CB07-68	01CB01-53
	Laboratory Sample Identification:	02052485-26	02081571-16	19267-003	913080-023	201206501	210420905	201205801
Total Metals IRON MANGANESE ZINC ARSENIC COPPER	Units mg/L mg/L mg/L mg/L mg/L	16900 1080 38.7 7.2 73.2	2500 170 J 7.3 2.2 J 9.8	56.9 2.57 0.12 0.007 0.14	630 140 J 37 J 1.2 J 6.3 J	6500 530 11 J 1.6 27	7310 508 23 J 2.4 30	16000 300 35 2.8 27

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/24/2001	06/18/2001	09/10/2001	05/14/2002	08/05/2002	04/29/2003	09/23/2003
	Fleid Sample Identification:	01CB07-66	01CB08-67	01CB28-10	02CB14-15	02CB18-01	03CB08-11	03CB14-47
	Laboratory Sample Identification:	210420907	210611202	913080-016	02052485-19	02081571-3	18483-004	19255-006
Total Metals	Units							
IRON	mg/L	6980	9140	2300 J	1530	385	1.29 J	0.74
MANGANESE	mg/L	132	232	94 J	57,2	17.2 J	0.046 J	0.029
ZINC	mg/L	24 J	28	24 J	9.7 J	16.3	0.01 UJ	0.01 U
ARSENIC	mg/L	3	3.6	1.5 J	1.4 J	3 J	0.001 U	0.001 U
COPPER	mg/L	13 J	18 J	10 J	5 J	2.5 J	0.004 J	0.001 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA .
	Field Sample Location:	MW-20	MW-21	MW-21	MW-21	MW-21	MW-22	MW-22
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A :
	Matrix:	Water	Water	Water	Water	Water	Water	Water .
	Sample Collection Date:	09/25/2003	05/14/2002	08/06/2002	04/29/2003	09/24/2003	05/14/2002	08/06/2002
	Field Sample Identification:	03CB14-41	02CB14-11	02CB18-47	03CB08-09	03CB14-43	02CB14-13	02CB18-49
	Laboratory Sample Identification:	19274-019	02052485-3	02081571-21	18483-001	19267-014	02052485-26	02081571-16
Total Metals	Units							
IRON	mg/L .	7.22 J	14200	10000	3.44 J	68.4	16900	2500
MANGANESE	mg/L	3.31	1100	930 J	0.227 J	3.75	1080	170 J
ZINC	mg/L .	0.02 J	50.8	29	0.01 UJ	0.15	38.7	7.3
ARSENIC	mg/L	0.002 J	3.7	4.4 J	0.001 U	0.001 U	7.2	2.2 J
COPPER	mg/L :	0.058 J	81.7	50	0.012 J	0.26	73.2	9.8

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-22	MW-23	MW-24	MW-24	MW-26	MW-26	MW-26
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	09/24/2003	09/11/2001	12/06/2000	04/24/2001	12/06/2000	04/24/2001	06/18/2001
•	Field Sample Identification:	03CB14-45	01CB28-20	01CB01-55	01CB07-68	01CB01-53	01CB07-66	01CB08-67
	Laboratory Sample Identification:	19267-003	913080-023	201206501	210420905	201205801	210420907	210611202
Total Metals	Units							
IRON	mg/L	56.9	630	6500	7310	16000	6980	9140
MANGANESE	mg/L	2.57	140 J	530	508	300	132	232
ZINÇ	mg/L	0.12	37 J	11 J	23 J	35	24 J	28
ARSENIC	mg/L	0.007	1.2 J	1.6	2.4	2.8	3	3.6
COPPER	mg/L	0.14	6.3 J	27	30	27	13 J	18 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/10/2001	05/14/2002	08/05/2002	04/29/2003	09/23/2003	09/23/2003	09/23/2003
	Field Sample Identification:	01CB28-10	02CB14-15	02CB18-01	03CB08-11	03CB14-47	03CB14-47RE	03CB14-48RE
	Laboratory Sample Identification:	913080-016	02052485-19	02081571-3	18483-004	19255-006	19255-006	19255-007
Total Metals	Units							
IRON	mg/L	2300 J	1530	385	1.29 J	0.74	NA	NA
MANGANESE	mg/L	94 J	57.2	17.2 J	0.046 J	0.029	NA	NA
ZINC	mg/L	24 J	9.7 J	16.3	0.01 UJ	0.01 U	0.01 U	0.01 U
ARSENIC	mg/L	1.5 J	1.4 J	3 J	0,001 U	0.001 U	NA	NA
COPPER	mg/L	10 J	5 J	2.5 J	0.004 J	0.001 J	NA	NA

	Field Site Identifier:	01	01	01	01	01
	Field Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	. N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Field Sample Identification:	04CB05-04	04CB05-07	04CB05-08	04CB05-09	04CB05-10
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Total Metals	Units			1		
MAGNESIUM	ug/L	13900	45900	17600	19300	26700
CALCIUM	ug/L	40400	102000	41500	·43600	69900
IRON	ug/l	790	52.7	892	14000	458
MANGANESE	ug/i	135	1730	4040	1970	17.8
ARSENIC	ug/l	0.346 J	0,564 J	0.284 J	2.31	0.264 J
COPPER	ug/i	5.73 J	5.50 J	22.2 J	72.5	2.62 J
ZINC	· ug/l	7.43 J	10.8 J	11.6 J	46.5	10.5 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01
,	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
•	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-65	01CB28-21	02CB14-06	02CB18-10	03CB08-04	03CB14-06
	Laboratory Sample Ídentification:	200403802	210420902	913080-024	02052485-25	02081571-28	18483-016	19267-006
Diss Metals	Units							
IRON	mg/L	50 U	25 U	35 U	11.2 Ŭ	11 U	0.025 U	0.1 J
MANGANESE	mg/L	2 U	15 U	0.79 J	0.48 J	0.95 J	0.005 UJ	0.036
ZINC	mg/L	NA ·	25 U	3.7 UJ	5.4 J	3.9	0.01 UJ	0.01 U
ARSENIC	mg/L	2.6	1 U	0.7 J	1.4 U	1.7 J	0.001 U	0.001 U
COPPER	mg/L	NA	25 U	4 J	1.6 J	0.3 UJ	0.001 U	0.001 J

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-02	MW-02	MW-02	MW-02	MW-02	MW-03	MW-03
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	06/18/2001	09/12/2001	08/06/2002	09/24/2003	04/04/2000	04/25/2001
	Field Sample Identification:	00CB09-02	01CB08-66	01CB28-39	02CB18-14	03CB14-10	00CB09-03	01CB07-84
	Laboratory Sample Identification:	200403810	210611201	913080-011	02081571-10	19267-010	200402501	210422707
Diss Metals	Units							
IRON	mg/L	50 U	24 J	35 U	48	3.03	498 J	142
MANGANESE	mg/L	3.4	8.3	57 J	18	0.443	10.3	7.9 J
ZINC	mg/L	NA	25 U	5.2 J	9.1	0.02	NA	25 U
ARSENIC	mg/L	2.1 U	0.37 J	0.29 J	1.4 UJ	0.001 U	5 U	1 U
COPPER	mg/L	NA	25 U	2.2 U	0.3 UJ	0.016	NA	25 U

	Fleid Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-03	MW-03	MW-03	MW-04	MW-05	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/13/2001	08/07/2002	09/24/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001
	Field Sample Identification:	01CB28-44	02CB18-16	03CB14-12	00CB09-04	00CB09-05	01CB08-06	01CB28-46
•	Laboratory Sample Identification:	913103-001	02081571-36	19255-009	200402511	200405120	210423417	913103-006
Diss Metals IRON MANGANESE ZINC ARSENIC COPPER	Units mg/L mg/L mg/L mg/L mg/L	930 31 J 3.7 U 0.29 UJ 2.2 UJ	160 12 J 4.8 1.9 J 0.58 J	0.05 U 0.008 J 0.01 U 0.001 U 0.001 UJ	50 U 47 NA 5 U NA	3370 3350 NA 5.4 NA	7630 11300 25 U 3.9 25 U	4100 J 8500 J 6.2 J 3.7 J 5.1 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-05	MW-05	MW-06S	MW-06S	MW-06\$	MW-06S	MW-07
	Sample Interval:	N/A	N/A	N/A	N/A	N/Á	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/25/2003	04/26/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000
	Field Sample Identification:	02CB18-18	03CB14-14	01CB08-12	01CB28-34	02CB18-20	03CB14-16	00CB09-07
	Laboratory Sample Identification:	02081836-8	19274-010	210423405	913080-001	02081836-11	19274-006	200402505
Diss Metals	Units			•	;			
IRON	mg/L	. 7900	13.4	25 U	35 U	3330	1.1	359 J
MANGANESE	mg/L	7840	8.32 J	347	800 J	1790	0.961	26.2
ZINC	mg/L	26.9 UB	0.01 U	25 U	5 J	9.7 UB	0.01 J	NA
ARSENIC	mg/L	2 UB	0.003	0.26 J	0.58 J	2.7	0.001 J	5 U
COPPER	mg/L	1.5 UB	0.007 J	25 U	3.1 J	9.9 UB	0.009 J	NA

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-07	MW-07	MW-08	MW-08	MW-08
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/25/2001	09/11/2001	08/07/2002	09/24/2003	04/05/2000	04/25/2001	09/11/2001
	Field Sample Identification:	01CB07-88	01CB28-22	02CB18-22	03CB14-18	00CB09-08	01CB07-94	01CB28-18
	Laboratory Sample Identification:	210422709	913080-026	02081571-33	19267-012	200403807	210422716	913080-035
Diss Metals	Units			·				
IRON	mg/L	154	230	300	0.09 J	50 U	25 U	70 J
MANGANESE	mg/L	6.6 J	4.4 J	4 J	0.005 U	5.3	27	18 J
ZINC	mg/L	25 U	5.2 J	.0.98 U	0.01 U	NA	25 U	4.3 J
ARSENIC	mg/L	1 U	0.29 J	1.4 UJ	0.001 U	2.1 U	0.75 J	1 J
COPPER	mg/L	25 U	2.2 U	0.3 UJ	0.001 UJ	NA	25 U	2.2 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Fleid Sample Location:	80-WM	MW-08	MW-09	MW-09	MW-09	MW-09	MW-09
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/08/2002	09/25/2003	04/05/2000	04/24/2001	09/12/2001	08/06/2002	09/25/2003
	Field Sample Identification:	02CB18-24	03CB14-20	00CB09-09	01CB07-47	01CB28-36	02CB18-26	03CB14-22
	Laboratory Sample Identification:	02081571-39	19274-004	200403803	210419504	913080-004	02081571-12	19274-012
Diss Metals	Units							
IRON	mg/L	11	0.05 U	50 U	25 U	110	11 U	0.24 J
MANGANESE	mg/L	5.3 J	0.006 J	21.7	34	16 J	6.3 J	0.005 U
ZINC	mg/L	2.3	° 0.01 U	NA	25 U	6.6 J	9.6	0.01 U
ARSENIC	mg/L	1.8 J	0.001 U	3.9	0.28 J	0.34 J	1.4 UJ	0.001 U
COPPER	mg/L	0.27 UJ	0.001 UJ	NA	25 U	2,2 U	0.3 UJ	0.001 UJ

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-10	MW-10	MW-10	. MW-10	MW-10	MW-10S	MW-10S
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/06/2000	04/26/2001	09/12/2001	08/07/2002	10/01/2003	04/07/2000	12/05/2000
	Field Sample Identification:	00CB09-10	01CB07-98	01CB28-32	02CB18-28	03CB14-24	00CB09-18	01CB01-44
	Laboratory Sample Identification:	200405118	210423402	913080-007	02081836-2	19309-002	200405109	201202302
Diss Metals	Units							
IRON	mg/L	115.9 J	5650	2400 J	10700	2.59	50 U	610 J
MANGANESE	mg/L	1590	2380	3200 J	2540	1.85	10100	6900
ZINC	mg/L	NA	25 U	9.5 J	6.1 UB	0.01 U	NA	25 U
ARSENIC	mg/L	5	2.4	3.9 J	7.3	0.002 J	2.1 U	0.74 J
COPPER	mg/L	NA	5.9 J	3.9 J	10.1	800.0	NA	. 13 J

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-10S	MW-10S	MW-10S	MW-10S	MW-11	MW-11	MW-11
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/25/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/24/2001	09/10/2001
	Field Sample Identification:	01CB07-86	01CB28-33	02CB18-30	03CB14-26	00CB09-11	01CB07-77	01CB28-12
	Laboratory Sample Identification:	210422712	913080-008	02081836-6	19274-008	200402509	210420917	913080-013
Diss Metals	Units							
IRON	mg/L	11300	48 J	67.3	0.05 U	50 U	25 U	35 U
MANGANESE	mg/L	6030	7600 J	7070	5.9	2 U	15 U	0.45 J
ZINC	mg/L	45	3.7 UJ	0.98 U	0.01 U	NA	25 U	3.7 UJ
ARSENIC	mg/L	2.3	0.29 J	3.1	0.001 U	5 U	1.3	1.1 J
COPPER	mg/L	46	3.2 J	2.3 UB	0.001 J	NA	25 U	2.2 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-11	MW-11	MW-12	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/26/2001	09/13/2001	05/14/2002	08/08/2002
	Field Sample Identification:	02CB18-32	03CB14-28	00CB09-12	01CB08-04	01CB28-45	02CB14-08	02CB18-34
	Laboratory Sample Identification:	02081571-15	19255-015	200405103	210423414	913103-005	02052485-10	02081836-13
Diss Metals	Units							
IRON	mg/L	-11.2 U	0.05 U	112.8 J	131	740	11.2 U	105
MANGANESE	mg/L	1.2 J	0.005 U	1590	1570	1400 J	1680	1600
ZINC	mg/L	8.5	0.01 U	NA	25 U	12	12 J	3.3 UB
ARSENIC	mg/L	1.5 J	0.001 U	5.8	0.91 J	0.95 J	1.4 U	1.4 U
COPPER	mg/L	0.3 U J	0.001 UJ	NA	25 U	6.8 J	4.9 J	2.9 UB

	Field Site Identifier:	PENTA	PENTA	DENITA	CENTA	DENTA	DENTA	DENTA
	rieid Site identitier:	PENIÄ	PENIA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13	MW-13
	Sample Interval:	N/A	N/A .	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water						
	Sample Collection Date:	04/29/2003	09/23/2003	04/05/2000	12/05/2000	04/23/2001	06/19/2001	09/10/2001
	Field Sample Identification:	03CB08-06	03CB14-30	00CB09-13	01CB01-52	01CB07-45	01CB08-69	01CB28-13
	Laboratory Sample Identification:	18483-019	19255-022	200403805	201202701	210419509	210613201	913080-014
Diss Metals	Units							
IRON	mg/L	0.025 U	0.05 U	50 U	230	25 U	141	52 J
MANGANESE	mg/L	1.56 J	1.53	111.8	66	110	26	27 J
ZINC	mg/L	0.01 UJ	0.01 U	NA	25 U	25 U	25 U	4.7 J
ARSENIC	mg/L	0.001 U	0.001 U	3.8	NA	0.24 J	1.1	0.54 J
COPPER	.mg/L	0.004	0.003	NA	25 U	25 U	6.1 J	2.8 J

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-13	MW-13	MW-14	MW-14	MW-15	MW-15	MW-15
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	08/05/2002	09/23/2003	04/06/2000	06/19/2001	04/04/2000	04/25/2001	09/12/2001
	Field Sample Identification:	02CB18-04	03CB14-32	00CB09-14	01CB08-70	00CB09-15	01CB07-71	01CB28-35
	Laboratory Sample Identification:	02081571-7	19255-002	200405101	210613202	200402503	210422702	913080-002
Diss Metals	Units							
IRON	mg/L	1300	0.96	50 U.	25 U	50 U	25 U	35 U
MANGANESE	mg/L	45	0.182	2 U	4.4 J	2 U	15 U	0.31 J
ZINC	mg/L	9.1	0.01 J	NA	25 U	NA	15 J	35 J
ARSENIC	mg/L	2.2 J	0.001 U	2.6	1.4	5 U	0.31 J	0.95 J
COPPER	mg/L	2.5 J	0.008	NA	25 UJ	NA	25 U	2.9 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-15	MW-15	MW-16	MW-16	MW-16	MW-16	MW-16
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/23/2001	09/10/2001	08/06/2002	09/23/2003
	Field Sample identification:	02CB18-36	03CB14-34	00CB09-16	01CB07-59	01CB28-16	02CB18-38	03CB14-36
	Laboratory Sample Identification:	02081571-25	19255-004	200405114	210419511	913080-019	02081571-20	19255-017
Diss Metais	Units							
IRON	mg/L	11 U	0.05 U	50 U	26	35 J	78	0.05 U
MANGANESE	mg/L	0.42 UJ	0.005 U	1690	9.4 J	0.82 J	9.1 J	0.005 U
ZINC	mg/L	11	0.01 U	NA	23 J	4.5 J	13	0.01 U
ARSENIC	· mg/L	2.6 J	0.001 U	2.1 U	1 U	0.29 J	1.4 UJ	0.001 U
COPPER	mg/L	0.3 UJ	0.001 UJ	NA	25 U	2.2 U	0.3 U	0.001 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-17	MW-17	MW-17	MW-17	MW-17	MW-18	MW-19
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	04/26/2001	09/11/2001	08/08/2002	09/25/2003	06/19/2001	04/07/2000
	Field Sample Identification:	00CB09-17	01CB08-02	01CB28-24	02CB18-40	03CB14-38	01CB08-71	00CB09-19
	Laboratory Sample Identification:	200405107	210423412	913080-028	02081571-47	19274-016	210613203	200405111
Diss Metals	Units				•			,
IRON	mg/L	50 U	25 U	310	11 U	0.05 U	13700	50 U
MANGANESE	mg/L	2 U	15 U	0.27 UJ	0.42 UJ	0.005 ป	6650	2 U
ZINC	mg/L	NA	25 U	3.7 U	15	0.01 U	25 U	NA
ARSENIC	mg/L	2.5	0.69 J	1 J	1.9 J	0.001 U	5	3.7
COPPER	mg/L	NA	25 U	2.2 UJ	0.3 UJ	0.001 UJ	21 J	NA

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19	MW-20
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/26/2001	09/12/2001	05/13/2002	08/08/2002	04/29/2003	09/25/2003	04/26/2001
	Field Sample Identification:	01CB08-16	01CB28-38	02CB14-10	02CB18-44	03CB08-08	03CB14-40	01CB08-09
	Laboratory Sample Identification:	210423410	913080-010	02052485-7	02081836-15	18483-013	19274-018	210423408
Diss Metals	Units							•
IRON	mg/L	25 U	71 J	11.2 U	218	0.025 U	0.05 J	841
MANGANESE	mg/L	1790	1800 J	2070	3110	3.59 J	4.47 J	2250
ZINÇ	mg/L	25 U	5.8 J	9.4 J	5.7 UB	0.01 UJ	0.01 U	23 J
ARSENIC	mg/L	1 U	0.29 J	1.4 U	1.4 U	0.001 U	0.001 U	1.1
COPPER	mg/L	25 U	6.4 J	5.1 J	7.1 UB	0.005	0.009 J	14 J

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-20	MW-20	MW-20	MW-21	MW-21	MW-21	MW-21
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	09/12/2001	08/07/2002	09/25/2003	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	01CB28-37	02CB18-46	03CB14-42	02CB14-12	02CB18-48	03CB08-10	03CB14-44
	Laboratory Sample Identification:	913080-005	02081836-4	19274-020	02052485-4	02081571-22	18483-002	19267-015
Diss Metals	Units							
IRON	mg/L	35 U	206	0.35 J	130	11 U	0.025 U	0.05 U
MANGANESE	mg/L	2800 J	3280	3.25 J	9.7 J	0.63 J	0.005 UJ	0.005 U
ZINC	mg/L	12 J	15.4 UB	0.01 J	11 J	6.8	0.01 UJ	0.01 U
ARSENIC	mg/L	1.5 J	2.6	0.001 U	1.9 J	1.6 J	0.001 U	0.001 U
COPPER	mg/L	15 U	5.8 UB	0.011 J	1.3 J	0.3 UJ	0.001 U	0.001 UJ

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-22	MW-22	MW-22	MW-23	MW-24	MW-24	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
•	Sample Collection Date:	05/14/2002	08/06/2002	09/24/2003	09/11/2001	12/06/2000	04/24/2001	12/06/2000
	Field Sample Identification:	02CB14-14	02CB18-50	03CB14-46	01CB28-20	01CB01-55	01CB07-69	01CB01-53
	Laboratory Sample Identification:	02052485-27	02081571-17	19267-004	913080-023	201206501	210420906	201205801
Parameter	Units							
IRON	mg/L	22.9 J	25	2.77	35 U	25 U	25 U	25 U
MANGANESE	mg/L	3.5 J	0.42 UJ	0.542	29 J	15 U	2.4 J	94
ZINC	mg/L	2.7 J	4.9	0.02 J	4.7 J	25 U	11 J	17 J
ARSENIC	mg/L	1.4 U	1.4 UJ	0.001 U	0.62 J	0.29 J	0.29 J	1.1.
COPPER	mg/L	0.3 U	0.3 UJ	0.02	2.2 U	25 U	5.2 J	21 J

•	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/24/2001	06/18/2001	09/10/2001	05/14/2002	08/05/2002	04/29/2003	09/23/2003
	Field Sample Identification:	01CB07-67	01CB08-67	01CB28-10	02CB14-16	02CB18-02	03CB08-12	03CB14-48
	Laboratory Sample Identification:	210420910	210611202	913080-016	02052485-23	02081571-4	18483-005	19255-007
Diss Metals	Units							
IRON	mg/L	36	25 UJ	100 J	11.2 U	11.2 U	0.025 U	0.05 U
MANGANESE	mg/L	15 U	15 U	4 J	0.73 J	0.56 J	0.005 UJ	0.005 U
ZINC	mg/L	19700	25 U	3.8 J	. 9.3 J	13.7	0.01 UJ	0.01 U
ARSENIC	mg/L	0.24 J	1.1	0.8 J	1.4 U	1.4 UJ	0.001 U	0,001 ひ
COPPER	mg/L	25 U	25 U	4 J	1.2 J	0.3 UJ	0.002 J	0.001 UJ

	Field Site Identifier:	01	01	01	01	01
	Field Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Field Sample Identification:	04CB05-28	04CB05-29	04CB05-30	04CB05-31	04CB05-32
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Diss Metals	Units			•		
IRON	ug/l	29.9	33.6	31.4	28.6	39.0
MANGANESE	ug/l	15.0 U	1480	3360	0.718 J	1.23 J
ARSENIC	ug/l	0.190 ป	0.600 J	0.169 J	0.122 J	0.289 J
COPPER	ug/l	0.785 J	3.95 J	5.77 J	1.28 J	1.24 J
ZINC	ug/l	2.74 J	8.80 J	6.93 J	4.48 J	4.36 J

	Field Site identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01	MW-01
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
•	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/05/2000	04/24/2001	09/11/2001	05/14/2002	08/06/2002	04/29/2003	09/24/2003
	Field Sample Identification:	00CB09-01	01CB07-64	01CB28-21	02CB14-05	02CB18-09	03CB08-03	03CB14-05
Labor	atory Sample Identification:	200403802	210420901	913080-024	02052485-24	02081571-27	18483-010	19267-005
General Chemistry	Units							
CHLORIDE	mg/L	8.72	24	10	9.3	7.4	4.3	3.3
SULFIDE	mg/L	1 U	10 .	0.4 J	2 U	2 U	1 J	1 U
ALKALINITY	mg/L	208	140	130	160	170	174	157 J
HARDNESS	mg/L	226	218	170 J	200	190	187	68.25
NITRATE	mg/L	1.66	6.5	2.6 J	2.7 J	0.15 U	2.6	2.61
SULFATE	mg/L	2.54	13	8.2 U	7.8	7.9	10	2 U
TOTAL ORGANIC CARBON	mg/L	3.36	3.89	3.9 R	6.1	2.6	3.2 J	8.4

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-02	MW-02	MW-02	MW-02	MW-02	MW-03	MW-03
	Sample Interval:	N/A						
Contract to	Matrix:	Water						
	Sample Collection Date:	04/05/2000	06/18/2001	09/12/2001	08/06/2002	09/24/2003	04/04/2000	04/25/2001
•	Field Sample Identification:	00CB09-02	01CB08-66	01CB28-39	02CB18-13	03CB14-09	00CB09-03	01CB07-83
L	aboratory Sample Identification:	200403810	210611201	913080-011	02081571-9	19267-009	200402501	210422706
General Chemistry	Units							
CHLORIDE	· mg/L	1.01	5.73	6.2	3	1 J	64	47
SULFIDE	mg/L	10	1 U	3.3 J	2 U	1 U	1 U	1 U
ALKALINITY	mg/L	50	36	49	66	80 J	468	442
HARDNESS	mg/L	89.4	66	140 J	98	106.2	548	544
NITRATE	mg/L	0.1 U	38	2.3	0.15 U	2.02	2.84	4.42
SULFATE	mg/L	58.3	105	10	10	3 J	12.5	11
TOTAL ORGANIC CARB	ON mg/L	1.97	5.57	4.2 R	3.2	2.3	2.18	1 U

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Fie	ld Sample Location:	MW-03	MW-03	MW-03	MW-04	MW-05	MW-05	MW-05
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sam	ple Collection Date:	09/13/2001	08/07/2002	09/23/2003	04/04/2000	04/07/2000	04/26/2001	09/13/2001
Field Sa	ample Identification:	01CB28-44	02CB18-15	03CB14-11	00CB09-04	00CB09-05	01CB08-05	01CB28-46
Laboratory Sa	ample Identification:	913103-001	02081571-35	19255-008	200402511	200405120	210423416	913103-006
General Chemistry	Units							
CHLORIDE	mg/L	58	69	52.4	9.59	49.2	42	29
SULFIDE	mg/L	2.7	2 U	1 U	1 U	1 U	1.52	6.7
ALKALINITY	mg/L	440 J	420	357 J	120	308	352	270 J
HARDNESS	mg/L	480 J	540	160	119	330	349	240 J
NITRATE	mg/L	4	0.15 U	4.43	0.1 U	0.1 U	0.13 U	0.17 J
SULFATE	mg/L) 14 J	16	2 U	10.8	34,3	28	22 J
TOTAL ORGANIC CARBON	mg/L	1.1 R	1.4	1.6	2.4	74.1	43	27 R

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-05	MW-05	MW-06S	MW-06S	MW-06S	MW-06S	MW-07
	Sample interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/07/2002	09/25/2003	04/26/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000
	Field Sample Identification:	02CB18-17	03CB14-13	01CB08-11	01CB28-34	02CB18-19	03CB14-15	00CB09-07
La	boratory Sample Identification:	02081836-7	19274-009	210423404	913080-001	02081836-10	19274-005	200402505
General Chemistry	Units	•						
CHLORIDE	mg/L	26	22.1	14	12	17	23.9	4.82
SULFIDE	mg/L	2 U	3.4	1 U	1.1	2 U	1 U	1 U
ALKALINITY	mg/L	220	228 J	148	160	270	282 J	384
HARDNESS	mg/L	4 U	78.48	285	290 J	4 U	104	398
NITRATE	mg/L	0.15 U	0.05 U	0.87	1.1	0.15 U	1.01	2.72
SULFATE	mg/L	21	20	12	16	18	17	6.06
TOTAL ORGANIC CARBO	DN mg/L	25	6.2	5.29	6.3	5.8	8.2	2

	Fleid Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-07	MW-07	MW-07	MW-07	MW-08	MW-08	MW-08
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
• .	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/25/2001	09/11/2001	08/07/2002	09/24/2003	04/05/2000	04/25/2001	09/11/2001
	Field Sample Identification:	01CB07-87	01CB28-22	02CB18-21	03CB14-17	00CB09-08	01CB07-93	01CB28-18
Labo	oratory Sample Identification:	210422708	913080-026	02081571-32	19267-007	200403807	210422715	913080-035
General Chemistry	Units							
CHLORIDE	mg/L	8.36	23	21	12.2	6.26	3.25	3.8
SULFIDE	mg/L	1 U	0.8 J	2 U	1 U	1 U	10	0.93 J
ALKALINITY	mg/L	352	340	390	346 J	122	154	150
HARDNESS	mg/L	388	410 J	450	133.3	147	181	170 J
NITRATE	mg/L	3.63	3 J	0.15 U	2.97	3.55	1.52	1.5 J
SULFATE	mg/L	6.54 J	10	10	2 U	6.5	7.47 J	7.6 U
TOTAL ORGANIC CONTEN	T mg/L	2.8	2 R	1.5	1.2	2.22	1.46	1 R

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-08	MW-08	MW-09	MW-09	MW-09	MW-09	MW-09
	Sample Interval:	N/A	N/A :	N/A	N/A	N/A	N/A	N/A
	Matrix:	1: MW-08 MW-08 MW-09 MW-	Water					
	Sample Collection Date:	08/08/2002	09/25/2003	04/05/2000	04/23/2001	09/12/2001	08/06/2002	09/25/2003
	Field Sample Identification:	02CB18-23	03CB14-19	00CB09-09	01CB07-46	01CB28-36	02CB18-25	03CB14-21
Lab	oratory Sample Identification:	02081571-38	19274-003	200403803	210419501	913080-004	02081571-11	19274-011
General Chemistry	Units							
CHLORIDE	mg/L	4.2	11	3.15	3.22	6.5	11	4.4
SULFIDE	mg/L	2 U	1 U	1 U	1 U	1.3	2 U	1 U
ALKALINITY	mg/L	180	184 J	58	60	62	64	59 J
HARDNESS	mg/L	310	69.44	55.4	59	64 J	95	32.83
NITRATE	mg/L	0.15 U	2.6	1.97	2.46	3.3	0.15 U	2.36
SULFATE	mg/L	6	2 U	8.46	27	6.8 U	22	24
TOTAL ORGANIC CARBON		1.1	2.3	5.46	9.94	5.1	8.4	6.5

Committee of ALC of the male out of the control that is a first that is a first

	Field Site Identifier:	PENTA						
	Field Sample Location:	MW-10	MW-10	MW-10	MW-10	MW-10	MW-10S	MW-10S
	Sample Interval:	N/A						
	Matrix:	Water						
	Sample Collection Date:	04/06/2000	04/26/2001	09/12/2001	08/07/2002	10/01/2003	04/07/2000	12/05/2000
	Field Sample Identification:	00CB09-10	01CB07-97	01CB28-32	02CB18-27	03CB14-23	00CB09-18	01CB01-44
. 1	aboratory Sample Identification:	200405118	210423401	913080-007	02081836-1	19309-001	200405109	201202302
General Chemistry	Units							
CHLORIDE	mg/L	55.9	48	61	56	22	53	15
SULFIDE	mg/L	1 U	1.25	1.1 J	2 U	1 U	1 U	1 U
ALKALINITY	mg/L	440	472	540 J	400	287 J	218	31
HARDNESS	mg/L	447	、 505	630 J	480	93.58	359	570
NITRATE	mg/L	1.72	0.18	0.13 J	0.15 U	0.05 Ų	0.1 U	1
SULFATE	mg/L	13.8	22	23	20	3 J	138	11
TOTAL ORGANIC CARE	BON mg/L	31.8	26	64 R	110	25.3	249	300

Field S	Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field Sam	ple Location:	MW-10S	MW-10S	MW-10S	MW-10S	MW- <u>†</u> 1	MW-11	MW-11
Sa	mple interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water `	Water
Sample Co	llection Date:	04/25/2001	09/12/2001	08/07/2002	09/25/2003	04/04/2000	04/24/2001	09/10/2001
Field Sample I	identification:	01CB07-85	01CB28-33	02CB18-29	03CB14-25	00CB09-11	01CB07-76	01CB28-12
Laboratory Sample l	Identification:	210422711	913080-008	02081836-5	19274-007	200402509	210420916	913080-013
General Chemistry	Units							
CHLORIDE	mg/L	11	10	10	6.7	6.98	6.25	8
SULFIDE	mg/L	1.15	1.3 J	2 U	1 บ	์ 1บ	1 U	1.3 J
ALKALINITY	mg/L	142	270 J	170	135 J	220	225	190
HARDNESS	mg/L	425	260 J	4 U	52.05	238	231	220 J
NITROGEN	mg/L	1.49	4.7	0.11 J	3.41	3.09	3.74	3.1 J
SULFATE	mg/L	8.64 J	13	14	2 J	9.41	3.48 J	7.4 U
TOTAL ORGANIC CARBON	mg/L	503	19 R	10	6.6	10.1	4.67	4.2 R

	Fleid Site Identifler:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
·	Field Sample Location:	MW-11	MW-11	MW-12	MW-12	MW-12	MW-12	MW-12
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
\$	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/26/2001	09/13/2001	05/14/2002	08/08/2002
Fiel	d Sample Identification:	02CB18-31	03CB14-27	00CB09-12	01CB08-03	01CB28-45	02CB14-07	02CB18-33
Laborator	y Sample Identification:	02081571-14	19255-014	200405103	210423413	913103-005	02052485-9	02081836-12
General Chemistry	Units							
CHLORIDE	mg/L	7.8	6.7	54.5	48	47	40	37
SULIDE	mg/L	2 U	1 U	1 U	NA	1.3	2 U	2 U
ALKALINITY	mg/L	210	187 J	500	564	490 J	490	460
HARDNESS	mg/L	230	72.14	559	556	470 J	510	4 U
NITRATE	mg/L	0.15 U	2.94	0.483	0.43	0.53 U	0.67 J	0.46
SULFATE	mg/L	7.6	2 U	11.9	16	16 J	17	15
TOTAL ORGANIC CARBON	mg/L	18	2.3	24.9	23	25 R	32	28

	Field Site Identifier:	PENTA						
FI	eld Sample Location:	MW-12	MW-12	MW-13	MW-13	MW-13	MW-13	MW-13
	Sample Interval:	N/A						
	Matrix:	Water						
Sai	mple Collection Date:	04/29/2003	09/23/2003	04/05/2000	12/05/2000	04/23/2001	06/19/2001	09/10/2001
Field S	Sample Identification:	03CB08-05	03CB14-29	00CB09-13	01CB01-52	01CB07-44	01CB08-69	01CB28-13
Laboratory S	Sample Identification:	18483-018	19255-021	200403805	201202701	210419508	210613201	913080-014
General Chemistry	Units							
CHLORIDE	mg/L	31	30.8	4.37	4.2	3.52	5.73	5.4
SULFIDE	mg/L	1 UJ	1 U	1 U	1 U	8.48	1 U	0.93 J
ALKALINITY	mg/L	470	443 J	82000	72	70	68	75
HARDNESS	mg/L	442	151.4	247	140	146	112	100 J
NITRATE	mg/L	8.0	1.17	0.1 U	0.45	1.77	2.87	2.5 J
SULFATE	mg/L	20	2 U	431	8,2 J	35	- 11	7.5 U
TOTAL ORGANIC CARBON	mg/L	19 J	15.5	8.68	7.9	18	13	9.5 R

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-13	MW-13	MW-14	MW-14	MW-15	MW-15	MW-15
•	Sample Interval:	N/A	N/A	MW-14 MW-14 MW-15 MW-15 N N/A N/A N/A N/A N/A Water Water Water Water Water 04/06/2000 06/19/2001 04/04/2000 04/25/2001 09/ 00CB09-14 01CB08-70 00CB09-15 01CB07-70 010 200405101 210613202 200402503 210422701 913 15.7 12 12.3 15 1 1 U 1 U 1 U 1 U 1 U 112 104 340 240 240 140 124 263 276 2.16 2.06 3.52 3.97 4.12 3.48 J 10 2.61 J 3.61 J 3.61 J	N/A			
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/05/2002	09/23/2003	04/06/2000	06/19/2001	04/04/2000	04/25/2001	09/12/2001
	Field Sample Identification:	02CB18-03	03CB14-31	00CB09-14	01CB08-70	00CB09-15	01CB07-70	01CB28-35
Lab	oratory Sample Identification:	02081571-6	19255-001	200405101	210613202	200402503	210422701	913080-002
General Chemistry	Units							
CHLORIDE	, mg/L	6.8	5.1					17
SULFIDE	mg/L	2 U	1 U	1 U		1 U		U 8.0
ALKALINITY	mg/L	86	78 J	112	104	340	240	240
HARDNESS	mg/L	110	35.04	140	124	263	276	270 J
NITRATE	mg/L	0.15 U	1.86	2.16	2.06	3.52	3.97	3.7
SULFATE	mg/L	8.4	7	4.12	3.48 J	10	2.61 J	4.5 U
TOTAL ORGANIC CARBON		6.3	6	1.5 U	6.41	2.05	5.24	4.5

	Field Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-15	MW-15	MW-16	MW-16	MW-16	MW-16	MW-16
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	08/06/2002	09/23/2003	04/06/2000	04/23/2001	09/10/2001	08/06/2002	09/23/2003
Fi	eld Sample Identification:	02CB18-35	03CB14-33	00CB09-16	01CB07-58	01CB28-16	02CB18-37	03CB14-35
Laborato	ory Sample Identification:	02081571-24	19255-003	200405114	210419510	913080-019	02081571-19	19255-016
General Chemistry	Units		•					
CHLORIDE	mg/L	16	17.4	6.45	3.57	1.8	2	6.2
SULFIDE	mg/L	2 U	1 U	1 บ	8.56	0.8 J	2 U	1 U
ALKALINITY	mg/L	230	213 J	48	90	79	130	82 J
HARDNESS	mg/L	250	88.57	97.2	164	120 J	120	37.96
NITRATE	mg/L	0.15 U	3.8	3.86	8.69	5.8 J	0.15 U	3,49
SULFATE	mg/L	4.7	2 U	24.1	29	11	13	3 J
TOTAL ORGANIC CARBON	mg/L	53	1.8	2.5	4.4	0.34 R	1.3	2.3

	Field Site Identifler:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-17	MW-17	MW-17	MW-17	MW-17	MW-18	MW-19
	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/06/2000	04/26/2001	09/11/2001	08/08/2002	09/25/2003	06/19/2001	04/07/2000
	Field Sample Identification:	00CB09-17	01CB08-01	01CB28-24	02CB18-39	03CB14-37	01CB08-71	00CB09-19
Labor	ratory Sample Identification:	200405107	210423411	913080-028	02081571-46	19274-015	210613203	200405111
General Chemistry	Units							
CHLORIDE	mg/L	4.89	4.12	4.8	4.6	4.4	19	37.4
SULFIDE	mg/L	1 U	1 U	1.1	2 U	1 U	1.7	1 U
ALKALINITY	mg/L	206	202	180 J	200	184 J	168	182
HARDNESS	mg/L	232	228	210 J	210	71.56	182	345
NITRATE	mg/L	4.21	4.98	4.4 J	0.15 U	5.1	0.13 U	6.97
SULFATE	mg/L	3 บ	6.82 J	9.3 U	7.4	2 U	33 J	90
TOTAL ORGANIC CARBON	mg/L	1.5 U	1.57	1 R	0.73	2.1	6.63	54.2

	Fleid Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
	Field Sample Location:	MW-19	MW-19	MW-19	MW-19	MW-19	MW-19	MW-20
	Sample Interval:	- N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
	Sample Collection Date:	04/26/2001	09/12/2001	05/13/2002	08/08/2002	04/29/2003	09/25/2003	04/26/2001
	Field Sample Identification:	01CB08-15	01CB28-38	02CB14-09	02CB18-43	03CB08-07	03CB14-39	01CB08-08
Labo	ratory Sample Identification:	210423409	913080-010	02052485-6	02081836-14	18483-012	19274-017	210423407
General Chemistry	Units							
CHLORIDE	mg/L	39	19	33	· 22	19.6	17.5 J	24
SULFIDE	mg/L	1 U	1.7 J	2 U	2 U	0.6 J	1 U	1 U
ALKALINITY	mg/L	236	320 J	150	130	118	. 160 J	198
HARDNESS	mg/L	323	270 J	. 250	4 U	162	71.57	301
NITRATE	mg/L	3.37	1.3	2 J	0.16	3	2 J	0.13 U
SULFATE	mg/L	47	9.7 U	16	16	27	90 J	67
TOTAL ORGANIC CARBON		33	34 R	45	65	53 J	129 J	478

	Fleid Site Identifier:	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Fi	eld Sample Location:	MW-20	MW-20	MW-20	MW-21	MW-21	MW-21	MW-21
•	Sample Interval:	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water	Water	Water
Sa	mple Collection Date:	09/12/2001	08/07/2002	09/25/2003	05/14/2002	08/06/2002	04/29/2003	09/24/2003
Fleld	Sample Identification:	01CB28-37	02CB18-45	03CB14-41	02CB14-11	02CB18-47	03CB08-09	03CB14-43
Laboratory S	Sample Identification:	913080-005	02081836-3	19274-019	02052485-3	02081571-21	18483-001	19267-014
General Chemistry	Units							
CHLORIDE	mg/L	16	22	19.4 J	69	49	41	48
SULFIDE	mg/L	3.3 J	2 U	1 U	2 U	2 U	. 1 UJ	1 U
ALKALINITY	mg/L ·	260 J	220	233 J	110	120	144	165 J
HARDNESS	mg/L	250 J	4 U	86.67	140	150	169	81.46
NITRATE	mg/L	0.15 J	0.15 じ	1.25 U	2 J	0.15 U	2.5	2.62
SULFATE	mg/L	24	25	80 J	7.3	9.6	12	2 U
TOTAL ORGANICCARBON	mg/L	65 R	71	150 J	3.1	8.3	1.5 J	3.6

Fiel	Field Site Identifier: Field Sample Location: Sample Interval: Matrix: Sample Collection Date: d Sample Identification: ry Sample Identification:	PENTA MW-22 N/A Water 05/14/2002 02CB14-13 02052485-26	PENTA MW-22 N/A Water 08/06/2002 02CB18-49 02081571-16	PENTA MW-22 N/A Water 09/24/2003 03CB14-45 19267-003	PENTA MW-23 N/A Water 09/11/2001 01CB28-20 913080-023	PENTA MW-24 N/A Water 12/06/2000 01CB01-55 201206501	PENTA MW-24 N/A Water 04/24/2001 01CB07-68 210420905	PENTA MW-26 N/A Water 12/06/2000 01CB01-53 201205801
General Chemistry CHLORIDE SULFIDE ALKALINITY HARDNESS NITRATE SULFATE TOTAL ORGANIC CARBON	Units mg/L mg/L mg/L mg/L mg/L mg/L mg/L	18 0.7 J 130 240 3.7 J 14 2	7.2 2 U 150 170 0.15 U 12 1.3	4.9 1 U 132 J 101.8 2.15 3 J 1.7	10 1.3 J 110 140 J 0.13 R 8.2 U 5.6 R	21 1 U 180 310 2.3 7.1 J 5.5	36 1 U 256 348 3.64 12 3.36	29 1 U 230 350 2.8 540 J 8

Field Site Identifier	: PENTA	PENTA	PENTA	PENTA	PENTA	PENTA	PENTA
Field Sample Location	: MW-26	MW-26	MW-26	MW-26	MW-26	MW-26	MW-26
Sample Interval	: N/A	N/A	N/A	N/A	N/A	N/A	N/A
Matrix	: Water	Water	Water	Water	Water	Water	Water
Sample Collection Date	: 04/24/2001	06/18/2001	09/10/2001	05/14/2002	08/05/2002	04/29/2003	09/23/2003
Field Sample identification	: 01CB07-66	01CB08-67	01CB28-10	02CB14-15	02CB18-01	03CB08-11	03CB14-47
Laboratory Sample Identification	: 210420907	210611202	913080-016	02052485-19	02081571-3	18483-004	19255-006
General Chemistry Units							
CHLORIDE mg/L	22	. 27	30	27	18	18	11
SULFIDE mg/L	1 U	1 U	1.1 J	2 U	2 U	1 UJ	1 U
ALKALINTY mg/L	240	230	260	260	270	248	250 J
HARDNESS mg/L	294	326	300 J	300	310	262	90.28
NITRATE mg/L	5	30	3.2 J	3 J	0.15 U	3.5	3.74
SULFATE mg/L	10 J '	13	12	15	14	14	2 U
TOTAL ORGANIC CARBON mg/L	2.79	6.67	0.34 R	5	4.5	7 J	6.4

Field	d Site Identifier:	01	01	01	01	01
Field Sa	mple Location:	MW-01	MW-12	MW-19	MW-21	MW-26
S	ampie interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water	Water
Sample C	Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
Field Sample	e Identification:	04CB05-04	04CB05-07	04CB05-08	04CB05-09	04CB05-10
Laboratory Sample	e Identification:	0405056	0405056	0405056	0405056	0405056
General Chem	Units					
ALKALINITY, TOTAL (AS CACO3)	mg/L	147.	446.	144.	165.	242.
CHLORIDE (AS CL)	mg/l	4.3 J	29 J	25 J	67 J	17 J
NITROGEN, NITRATE (AS N)	mg/l	2.1 J	1.1 J	0.71 J	2.3 J	3.9 J
SULFATE (AS SO4)	mg/l	2.0 J	14 J	16 J	3.6 J	42 J
HARDNESS (AS CACO3)	ug/L	158000	443000	176000	188000	284000
TOTAL CARBON	mg/l	6.37	20.2	43.7	3.12	3.75

	Field Site Identifier:	01	01	01	01 .	01 -
	Field Sample Location:	MW-01	MW-12	MW-19	MW-21	MW-26
	Sample Interval:	N/A	N/A	N/A	N/A	N/A
	Matrix:	Water	Water	Water	Water '	Water
	Sample Collection Date:	05/04/2004	05/04/2004	05/04/2004	05/04/2004	05/04/2004
	Field Sample Identification:	04CB05-04	04CB05-07	04CB05-08	04CB05-09	04CB05-10
	Laboratory Sample Identification:	0405056	0405056	0405056	0405056	0405056
Gerneral Chem	Units					
SULFIDE	mg/l	2.20	1.40	1.00 U	2.40	3.20

Attachment 5

Site Inspection Checklist

Site Inspection Checklist

I. SITE INF	ORMATION					
Site name: Penta Wood Products	Date of inspection: 11/15/04					
Location and Region: Wisconsin - I	EPA ID: WID 006 1769 45					
Agency, office, or company leading the five-year review: WDWR	Weather/temperature: Part Sunny 40°F					
Remedy Includes: (Check all that apply) X Landfill cover/containment Access controls Institutional controls Groundwater pump and treatment G Surface water collection and treatment X Other Crosson Control						
Attachments: XInspection team roster attached XSite map attached						
II. INTERVIEWS						
1. O&M site manager Bill Andrae Name Interviewed G at site G at office Styphone Phone Problems, suggestions; G Report attached ralked anuval site report	CH, M Hill Site Manage 12.969 Title Date no. 414-847-0341 about the need for an					
2. O&M staff Many Wicklund Plane Name Interviewed at site G at office G by phone Phone Problems, suggestions; G Report attached	no. 715-349-8357					

3.	Local regulatory authorities and response office, police department, office of public he deeds, or other city and county offices, etc.)	ealth or environmental he	alth, zoning office	e, recorder of
	Agency Emerges & Governmot Contact Roberta Sichta Name Problems; suggestions; G Report attached or Concerns - none	Director	12-1.04	
	Name Problems; suggestions; G Report attached	sent letter re	Date	Phone no.
 	or conterns - nout	received.		
	Agency Town of Daniels, B. Contact Vernon Peterson Name Problems; suggestions; & Report attached	wnoth County	.4	
	Contact Vernon Peterson	Chair main	12-1-04	nt.
	Name Problems: suggestions: 4-Report attached	cont letter	Date Period time	Phone no.
. .	or concerus - Mo res	soule back.	7000	<u></u>
	Agency Siven Fire Depart Contact Tom Howe Name Problems; suggestions; G Report attached	ment, City of	siven	
	Contact Tous Howe	Chies	12-1-09	DI
	Name Problems: suggestions: G Report attached	Sent letter	Date	Phone no.
	or concrus · no recase	ruse back	7	(0000-1100
	Agency			
	Name	Title	Date	Phone no.
	Problems; suggestions; G Report attached _			
				
4.	Other interviews (optional) G Report attack	ned.		
	copy of latter	s sout i	n Attac	humant
6	of the 15-year rev	iew repor	<u> </u>	
•		,		
				
				
		· · · · · · · · · · · · · · · · · · ·		

	III. ON-SITE DOCUMENT	rs & records verified (Check all that ap	ply)	
1.	O&M Documents X O&M manual As-built drawings K Maintenance logs Remarks O & M man	Readily available G Up t Readily available Readily available	In to date	C NI/A	
2.	Site-Specific Health and Safety Pla G Contingency plan/emergency responses Remarks	•		g N/A ▼N/A	_
3.	O&M and OSHA Training Record Remarks	•	Up to date	g N/A	
4.	Permits and Service Agreements G Air discharge permit Effluent discharge G Waste disposal, POTW G Other permits Remarks	G Readily available	GUp to date o date GN/A	g N/A	
5.	Gas Generation Records Remarks	G Up to	o date N/A	A	
6.	Settlement Monument Records Remarks	G Readily available	G Up to date	N/A	
7.	Groundwater Monitoring Records Remarks	Readily available	Up to date	g N/A	
8.	Leachate Extraction Records Remarks	G Readily available	G Up to date	N/A	-
9.	Discharge Compliance Records G Air G Water (effluent) Remarks	G Readily available Readily available	G Up to date Up to date	XN/A G N/A	
10.	Daily Access/Security Logs Remarks	G Readily available	G Up to date	X/N/A	

	IV. O&M COSTS								
1.	O&M Organization G State in-house G Contractor for State G PRP in-house G Contractor for PRP G Federal Facility in-house Contractor for Federal Facility G Other								
2.	G Readily available G Up to date G Funding mechanism/agreement in place Original O&M cost estimate G Breakdown attached								
	Total annual cost by year for review period if available From To G Breakdown attached Date Total cost From To G Breakdown attached Date Total cost G Breakdown attached								
	From To G Breakdown attached Date Total cost G Breakdown attached Date Total cost G Breakdown attached Date Date Total cost G Breakdown attached Date Date Total cost								
3.	3. Unanticipated or Unusually High O&M Costs During Review Period Describe costs and reasons: LTRA for site began in Arrist 2004 no yearticipated or unusually high cost to date blue only four month into eparation, of 10 years LTRA.								
V. ACCESS AND INSTITUTIONAL CONTROLS Applicable G N/A A. Fencing Good around CAMU & along road.									
1. Fencing damaged G Location shown on site map Gates secured G N/A Remarks									
B. Oth	B. Other Access Restrictions								

C. Inst	titutional Controls (ICs)						
1.	Implementation and enforcement Site conditions imply ICs not properly implemented Site conditions imply ICs not being fully enforced	Yes G Yes	G No G No	g N/A g N/A			
	Type of monitoring (e.g., self-reporting, drive by) Frequency						
7	Responsible party/agency Contact						
	Name Title	Da	te	Phone no.			
	Reporting is up-to-date Reports are verified by the lead agency	G Yes G Yes		K N/A X N/A			
	Specific requirements in deed or decision documents have been met Violations have been reported Other problems or suggestions: G Report attached	G Yes		X N/A			
	nstalled or building profile until LTRA is completed	Vius CAP	6W 1V 1	wells not need			
2.	Adequacy XICs are adequate GICs are inadequate, GN/A Remarks at this time deccle restriction for land Use and installing wells is not necessary vutil after LTAA is completed.						
D. Gen	neral						
1.	Vandalism/trespassing G Location shown on site map Remarks	andalism	evident				
2.	Land use changes on site G N/A Remarks						
3.	Land use changes off site G N/A Remarks						
	VI. GENERAL SITE CONDITIONS						
A. Roa	ds Applicable G N/A						
1.	Roads damaged Location shown on site map Roads Remarks	ls adequat	teG N/A	,			

В.	. Other Site Conditions	
	Remarks None	
		<i>s s</i>
	VII. LANDI	FILL COVERS & Applicable G N/A
Α.	. Landfill Surface	
1.	Settlement (Low spots) Areal extent Remarks	
2.		G Location shown on site map Cracking not evident Depths
3.	Areal extent	G Location shown on site map G Erosion not evident Depth Africa is an on-going work requirement being installed along east side 65 CAMA
4.	Holes Areal extent	G Location shown on site map Holes not evident Depth
5.	G Trees/Shrubs (indicate size and le Remarks Vecatative	S G Cover properly established G No signs of stress locations on a diagram) Cover like prof. on Court is an Court for it and the court of site for the co
6.		ck, concrete, etc.) GN/A Sitches being installal more installal more
7.	Bulges Areal extent Remarks	G Location shown on site map Height

8.		Wet Areas/Water Damage G Wet areas G Ponding G Seeps G Soft subgrade Remarks	Wet areas/water damage not evident G Location shown on site map Areal extent
9.	ý	Slope Instability G Slide Areal extent Remarks	s G Location shown on site map No evidence of slope instability
В.	Вел	(Horizontally constructed mou	N/A ands of earth placed across a steep landfill side slope to interrupt the slope city of surface runoff and intercept and convey the runoff to a lined
1.		Flows Bypass Bench Remarks	G Location shown on site map N/A or okay
2.	-	Bench Breached Remarks	G Location shown on site map N/A or okay
3.		Bench Overtopped Remarks	G Location shown on site map
C.	Leto	Iown Channels Applicable (Channel lined with erosion could slope of the cover and will allocover without creating erosion	ontrol mats, riprap, grout bags, or gabions that descend down the steep side ow the runoff water collected by the benches to move off of the landfill
1.		Areal extent	Ocation shown on site map Depth Solling ant of gabien lowe choter-not
2.		Material Degradation G I Material type Remarks	ocation shown on site map
3.		Areal extent Remarks Scalingo	ocation shown on site map G No evidence of erosion Depth T in down clutes and other erosion, res requires require maintance.

4.	Undercutting G Location shown on site map Areal extent Depth Remarks
5.	Obstructions G Location shown on site map Size Remarks
6.	Excessive Vegetative Growth No evidence of excessive growth G Vegetation in channels does not obstruct flow G Location shown on site map Remarks Areal extent
D. (Cover Penetrations Applicable GN/A
1.	Gas Vents Gas Vents Gas Vents Passive Properly secured/locked Condition Gas Vents Gas
2.	Gas Monitoring Probes Properly secured/locked G Functioning G Evidence of leakage at penetration Remarks Gas Monitoring Probes Routinely sampled Good condition G Needs Maintenance G N/A
3.	Monitoring Wells (within surface area of landfill) Properly secured/locked G Functioning Routinely sampled Good condition G Evidence of leakage at penetration G Needs Maintenance G N/A Remarks
4.	Leachate Extraction Wells G Properly secured/locked G Functioning G Routinely sampled G Good condition G Evidence of leakage at penetration G Needs Maintenance N/A Remarks
5.	Settlement Monuments G Located G Routinely surveyed N/A , Remarks_

E. Gas	Collection and Treatment	G Applicable N/A	
1.	Gas Treatment Facilities G Flaring G Thermal dest G Good condition G Needs Mainte Remarks		
2.	Gas Collection Wells, Manifold G Good condition G Needs Mainte Remarks		
3.	Gas Monitoring Facilities (e.g., G Good condition G Needs Mainte Remarks	, gas monitoring of adjacent homes or buildings) tenance N/A	
F. Cove	er Drainage Layer	G Applicable N/A	
1.	Outlet Pipes Inspected Remarks	G Functioning X/N/A	
2.	Outlet Rock Inspected Remarks	G Functioning N/A	
G. Dete	ention/Sedimentation Ponds	G Applicable G N/A	٦
1.	Siltation Areal extent G Siltation not evident Remarks	Depth G N/A	
2.	Erosion Areal extent G Erosion not evident Remarks Somo	Depth	
3.	Outlet Works Remarks	actioning G N/A	
4.	Dam Fund Remarks	actioning G N/A	

H. Retaining Walls	G Applicable A/A					
1. Deformations Horizontal displacer Rotational displacer Remarks						
2. Degradation Remarks	G Location shown on site map G Degradation not evident					
I. Perimeter Ditches/Off-Site Discharge Applicable G N/A						
Areal extent	Location shown on site map G Siltation not evident Depth Me Siltation Somme cresion nocol to be Untill vegetation improves					
2. Vegetative Growth G Vegetation does n Areal extent Remarks	<u> </u>					
	G Location shown on site map G Erosion not evident Depth sion if left up checked would start onlien. Continued maintenance necessary.					
4. Discharge Structur Remarks 50	e XFunctioning GN/A me siltation need to be regularly all by aleaning out sist.					
VIII.	VERTICAL BARRIER WALLS Applicable G N/A					
1. Settlement Areal extent Remarks	G Location shown on site map G Settlement not evident Depth					
2. Performance Moni G Performance not n Frequency Head differential Remarks	toring Type of monitoring nonitored G Evidence of breaching					

C.	Treatment System	Applicable	g N/A		
1.	Treatment Train (C G Metals removal G Air stripping G Filters	heck components that Oil/water sepa Carbo		on	
	Additive (e.g., chel)		
	Good condition G Needs Maintenance Sampling ports properly marked and functional Sampling/maintenance log displayed and up to date				
	G Quantity of ground G Quantity of surface Remarks	water treated annually water treated annually	May - Sept =	13.1 Million	
2.	Electrical Enclosure	s and Panels (properly lood conditionG Needs	y rated and functional)		
3.	Tanks, Vaults, Stora G N/A Remarks		r secondary containment	G Needs Maintenance	
4.	n 1.	ood condition G Needs	s Maintenance		
5.	Treatment Building G N/A Chemicals and equi	ood condition (esp. ro		G Needs repair	
6.	Monitoring Wells (p Properly secured/lo All required wells I Remarks		nedy) Routinely sampled Maintenance	Good condition G N/A	
D. 1	Monitoring Data				
1.	Monitoring Data Is routinely submitted		Is of acceptable qu	ality	
2.	Monitoring data sugg	ests: is effectively containe	ed G Contaminant conc	entrations are declining	

D. N	Monitored Natural Attenuation
1.	Monitoring Wells (natural attenuation remedy) Properly secured/locked Functioning Routinely sampled Good condition All required wells located G Needs Maintenance G N/A Remarks
	X. OTHER REMEDIES
	If there are remedies applied at the site which are not covered above, attach an inspection sheet describing the physical nature and condition of any facility associated with the remedy. An example would be soil vapor extraction.
	XI. OVERALL OBSERVATIONS
A.	Implementation of the Remedy
	Describe issues and observations relating to whether the remedy is effective and functioning as designed. Begin with a brief statement of what the remedy is to accomplish (i.e., to contain contaminant plume, minimize infiltration and gas emission, etc.). The components of the remedy have been completed and that lucleded. All immediate there is have been addressed. Buildined downer consolidation of PCP and arsenic waste in a CAMU, emosion control massers. LNAPL recovery fow treatment bioventing treatment systems justualled. LTRA is just beganing and will continue for 10 years or now the remarks is expected to be protective when ground water cloud up goods are most in the formal water cloud up goods are most in the
В.	Adequacy of O&M
	Describe issues and observations related to the implementation and scope of O&M procedures. In particular, discuss their relationship to the current and long-term protectiveness of the remedy. LNAPL is been collected and 6,650 galtern to date have been collected and seem blisposes of off-site as a Haz. Waste Bioverstine will commence once from product has been collected to the extent practible. Site crossing and maintain will need to be continued until vegetation.

C.	Early Indicators of Potential Remedy Problems				
	Describe issues and observations such as unexpected changes in the cost or scope of O&M or a high frequency of unscheduled repairs, that suggest that the protectiveness of the remedy may be compromised in the future. Nene 10 Late				
D.	Opportunities for Optimization				
	Describe possible opportunities for optimization in monitoring tasks or the operation of the remedy.				
	None to doto. The last some months.				

Attachment 6

Public Outreach Letters and Documents



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor Scott Hassett, Secretary John Gozdzialski, Regional Director Northern Region Headquarters 107 Sutliff Ave. Rhinelander, Wisconsin 54501-3349 Telephone 715-365-8900 FAX 715-365-8932 TTY Access via relay - 711

December 1, 2004

Roberta Sichta Emergency Government Director Burnett County Government Center 7410 County Rd. K Siren, WI 54872 Vernon Peterson Town of Daniels Chairman 23787 Peterson Rd. Siren, WI 54872 Tom Howe Chief, Siren Fire Department 7732 State Rd 35 Siren, WI 54872

Subject:

Federal Superfund Five-Year Review for Penta Wood Products Site

Dear Sirs:

This letter is to notify you of the of the up-coming five-year review that will be taking place for the Penta Wood Superfund site located on Daniels 70 (former State Route 70) approximately 2 miles west of the Village of Siren, and to solicit any comments you may have on the ongoing clean-up activities. All active Superfund sites are required to have such a review undertaken to assure that the cleanup continues to protect people and the environment. For the Penta Wood Site the Wisconsin Department of Natural Resources has been assigned to conduct the review and write the report. I have enclosed an information fact sheet concerning the Superfund five-year review process and a notice to be published in local newspapers to solicit the public's input.

Since December 1999, the USEPA and the WDNR have been working to remdiate the Penta Wood Site. The work to date has included the following:

- Demolition of 17 buildings and foundations, and the offsite disposal of demolition material, debris piles, and laboratory chemicals.
- Excavation and consolidation of contaminated soils into a 7-acre Corrective Action Management Unit.
- Placing a soil cover over the CAMU with 6 inches of sand followed by 6 inches of topsoil, and then seeding and mulching the cover. Installing a gated 6-foot high fence encircling the perimeter of the CAMU restricted access.
- Erosion control structures including gabion basket downchutes, velocity control check dams and rip-rapped drainage ditches were constructed to protect the integrity of the' CAMU.
- Seeding and mulching all barren areas and establishing a vegetative cover over all
 exposed areas of the site, including mulching and planting prairie grasses, native trees
 and shrubs.
- Drilling operations included abandonment of existing wells and the installation of the multi-purpose biovent and groundwater extraction wells, soil gas wells, a monitoring well, and the groundwater and LNAPL recovery pumps.



- Constructing a treatment building housing the biovent blower system, LNAPL recovery
 tanks and a groundwater treatment system. The treatment system consisting of a
 Dissolved Air Floatation (DAF) unit, sludge dewatering system and sludge handling
 equipment, an oil bag filter, activated clay treatment, granular activated carbon treatment,
 controls, and discharge piping.
- Constructing an infiltration basin for discharging treated groundwater.

Presently, the remedial effort has eliminated any direct contact threat for arsenic and pentachlorophenol at the site. Except for regular maintenance, the groundwater treatment system has been running continuously since May of 2004. As of September 24, 2004 the system has removed 6,650 gallons of free product floating on the groundwater table and treated 13.1 million gallons of groundwater. All hazardous wastes are being manifested and disposed of properly off-site. Semiannual groundwater sampling has shown that the groundwater contaminant plume is stable. The groundwater treatment system is expected to continue running for the next 10 years.

This notice and any concerns you may have with the Penta Wood Products remedial action will become part of the five-year review report. If you have questions or comments concerning the on-going clean-up please contact me at:

William Schultz
Wisconsin Department of Natural Resources
107 Sutliff Ave.
Rhinelander, WI 54501
(715) 365-8965
bill.schultz@dnr.state.wi.us

Thank you for taking the time to review this letter.

Sincerely,

William Schultz, PE

Bureau of Remediation and Redevelopment

Enclosures



Superfund Today

FOCUS ON FIVE-YEAR REVIEWS INVOLVING THE COMMUNITY

Checking Up On Superfund Sites: The Five-Year Review

The U.S. Environmental
Protection Agency (EPA)
conducts regular checkups,
called five-year reviews, on
certain Superfund sites. EPA
looks at sites where cleanup left
wastes that limit site use. For
example, EPA will look at a
landfill to make sure the
protective cover is not damaged
and is working properly. EPA

will also review sites with cleanup activity still in progress after five years.

In both cases, EPA checks the site to make sure the cleanup continues to protect people and the environment. The EPA review team conducts the review and writes a report on its findings. At some sites, other federal agencies, a state agency, or an Indian tribe may do the review, but EPA stays in the process and approves the report.

The Five-Year Review is:

- a regular EPA checkup on a Superfund site that has been cleaned up—with waste left behind—to make sure the site is still safe;
- a way to make sure the cleanup continues to protect people and the environment; and
- a chance for you to tell EPA about site conditions and any concerns you have.

During the review, EPA studies information on the site, including the cleanup and the laws that apply, and inspects the site to make sure it continues to be safe. EPA needs information from people who are familiar with the site. As someone living close to the site, you may know about things that can help the review team decide if it is still safe.

Here are some examples of things to tell EPA about:

- Broken fences, unusual odors, dead plants, materials leaving the site, or other problems
- Buildings or land around the site being used in new ways
- Any unusual activities at the site, such as dumping, vandalism, or trespassing
- Ways the cleanup at the site has helped the neighborhood.

For More Information ...

... about a Superfund site in your neighborhood, please call the toll-free Superfund/RCRA Hotline at 1-800-424-9346 or the Community Involvement Coordinator in the EPA regional office for your state. Your local EPA office can tell you where you can go to review files on every Superfund site in your area. Often, EPA holds community meetings to let people who live near a site know about site activities. You also may find useful information on the Superfund home page (www.epa.gov/superfund). For more information on the review process, see "Comprehensive Five Year Review Guidance," EPA 540-R-01-007, OSWER 9355.7-03B-P, June 2001.



EPA To Review Penta Wood Products Superfund Site Town of Daniels, Wisconsin

U.S. Environmental Protection Agency is conducting a status review of the Penta Wood Products Superfund site. The Superfund law requires regular reviews of sites (at least every five years) where the cleanup is complete but hazardous waste remains managed on-site. These reviews are done to ensure that the cleanup continues to protect human health and the environment.

This review will include an evaluation of background information, cleanup requirements, extent of sampling and effectiveness of the cleanup. It will also look at any anticipated future actions.

EPA completed several cleanup actions for the site. They included:

- installing ground-water extraction wells
- installing a water treatment system
- excavating and transferring pentachlorophenol-and arsenic-contaminated soil to an onsite disposal area
- demolishing all buildings and equipment
- stabilizing arsenic-contaminated soil and placing it under a 7-acre cover
- erecting a fence around the cover area

The five-year review report, which will be available by fall 2005, will detail the site's progress. The next review is scheduled for 2009.

Further information can be obtained by contacting:

Susan Pastor
EPA Community Involvement Coordinator
(800) 621-8431 Ext. 31325, weekdays 9 a.m. - 4:30 p.m.
pastor.susan@epa.gov

Site-related documents are available for review at:

Burnett Community Library 7451 W. Main St. Webster Grantsburg Public Library 415 S. Robert St. Grantsburg

